



**SAFETY DATA SHEET**  
MASTER PLASTER ALCOHOL PREP PAD

Page 1  
Issued: 23/05/2006  
Revision No: 1

**1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING**

**Product name:** MASTER PLASTER ALCOHOL PREP PAD  
**Use / description of product:** Antiseptic wipes.  
**Company name:** 151 Products  
Globe House  
3rd Floor Southall Street  
Manchester  
M3 1LG  
Tel: 0161 8395949  
Fax: 0161 8395493

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

**Hazardous ingredients:** PROPAN-2-OL 30-50%  
EINECS: 200-661-7 CAS: 67-63-0  
[F] R11; [Xi] R36; [-] R67  
**Contains:** Each individual swab contains approximately 0.6ml of application solution. The solution consists of 70% Isopropanol and 30% purified water.

**3. HAZARDS IDENTIFICATION**

**Main hazards:** Flammable.

**4. FIRST AID MEASURES (SYMPTOMS)**

**Skin contact:** There may be irritation and redness at the site of contact.  
**Eye contact:** There may be irritation and redness.  
**Ingestion:** There may be soreness and redness of the mouth and throat. May cause irritation and/or blockage of the gastrointestinal tract  
**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**4. FIRST AID MEASURES (ACTION)**

**Skin contact:** Wash immediately with plenty of soap and water. Seek medical help if irritation persists.  
**Eye contact:** Bathe the eye with running water for 15 minutes. Seek medical help if irritation persists.  
**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.  
**Inhalation:** Move to fresh air. If irritation persists seek medical advice.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.  
**Exposure hazards:** In combustion emits toxic fumes.  
**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

**Environmental precautions:** Do not discharge into drains or rivers.

**Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**7. HANDLING AND STORAGE**

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Hazardous ingredients:** PROPAN-2-OL  
WEL (8 hr exposure limit): 999 mg/m<sup>3</sup> WEL (15 min exposure limit): 1250 mg/m<sup>3</sup>

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.

**Hand protection:** Protective gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Wipes impregnated with liquid

**Odour:** Mild - product specific

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION**

**Hazardous ingredients:** PROPAN-2-OL  
IVN RAT LD50 1088 mg/kg  
ORL MUS LD50 3600 mg/kg  
ORL RAT LD50 5045 mg/kg  
SCU MUS LDLO 6 gm/kg

**Routes of exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

## 12. ECOLOGICAL INFORMATION

**Mobility:** The nonwoven cloth is degradable, all ingredients are water soluble.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

## 13. DISPOSAL CONSIDERATIONS

**Disposal operations:** Disposal should be in accordance with Local Authority regulations

**Disposal of packaging:** Disposal should be in accordance with Local Authority regulations

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## 14. TRANSPORT INFORMATION

### ADR / RID

<b>UN no:</b> 1219	<b>ADR Class:</b> 3
<b>Packing group:</b> II	<b>Classification code:</b> F1
<b>Shipping name:</b> ISOPROPANOL (ISOPROPYL ALCOHOL)	
<b>Labelling:</b> 3	<b>Hazard ID no:</b> 33



### IMDG / IMO

<b>UN no:</b> 1219	<b>Class:</b> 3
<b>Packing group:</b> II	<b>EmS:</b> F-E,S-D
<b>Marine pollutant:</b> NO	<b>Labelling:</b> 3

### IATA / ICAO

<b>UN no:</b> 1219	<b>Class:</b> 3
<b>Packing group:</b> II	<b>Packing instructions:</b> 305(P&CA); 307(CAO)
<b>Labelling:</b> 3	

## 15. REGULATORY INFORMATION

**Hazard symbols:** No significant hazard.

**Risk phrases:** R10: Flammable.

**Safety phrases:** S2: Keep out of the reach of children.

S16: Keep away from sources of ignition - No smoking.

S25: Avoid contact with eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical

**SAFETY DATA SHEET**  
MASTER PLASTER ALCOHOL PREP PAD

advice.

S46: If swallowed, seek medical advice immediately and show this container or label.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Risk phrases used in s.2:** R11: Highly flammable.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.