

151 FAST ADHESIVE GLUE & ACCELERATOR (ADHESIVE)

Page: 1

Compilation date: 30/05/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 151 FAST ADHESIVE GLUE & ACCELERATOR (ADHESIVE)

Product code: 151050

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited

The Old School House 39 Bengal Street Manchester M4 6AF UK Tel: 0161 839 5949 Fax: 0161 839 5493

Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Emergency tel: 0161 839 5949 (08:00 - 17:30)

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315; -: EUH202
Most important adverse effects:	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of
	children.

2.2. Label elements

Label elements:	
Hazard statements:	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the
	reach of children.
Hazard pictograms:	GHS07: Exclamation mark
	^



151 FAST ADHESIVE GLUE & ACCELERATOR (ADHESIVE)

Signal words:WarningPrecautionary statements:P102: Keep out of reach of children.P103: Read label before use.P103: Read label before use.P280: Wear protective clothing, eye protection.P302+P352: IF ON SKIN: Wash with plenty of water.P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for
breathing.P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing.P313: Get medical advice/attention.P313: Get medical advice is needed, have product container or label at hand.P362+P364: Take off contaminated clothing and wash it before reuse.P301: Dispose of contents and container to Local authority regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
230-391-5	7085-85-0	-	Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315	>75%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact:	Wash immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist	
	examination.	
Ingestion:	Wash out mouth with water.	
Inhalation:	Not applicable.	

4.2. Most important symptoms and effects, both acute and delayed

Skin contact:	There may be irritation and redness at the site of contact.	
Eye contact:	There may be pain and redness. The eyes may water profusely. May bond the eye to the	
	eyelid.	
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach	
	pain may occur.	

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Page: 2

151 FAST ADHESIVE GLUE & ACCELERATOR (ADHESIVE)

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): PC1: Adhesives, sealants.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

151 FAST ADHESIVE GLUE & ACCELERATOR (ADHESIVE)

DNEL/PNEC Values		
DNEL / PNEC	No data available.	
8.2. Exposure controls		
Engineering measures:	Ensure there is sufficient ventilation of the area.	
Respiratory protection:	No special requirements under normal conditions of use. In case of insufficient	
	ventilation, wear an approved respirator gas/vapour filter Type A, organic vapours	
	(EN141).	
Hand protection:	Protective gloves.	
Eye protection:	Safety glasses with side-shields.	
Skin protection:	Protective clothing.	
Section 9: Physical and cher	mical properties	
9.1. Information on basic phy	vsical and chemical properties	
State:	Liquid	
Colour:	Colourless	
Odour:	Characteristic odour	
Solubility in water:	Reacts with water.	
Also soluble in:	Acetone.	
Boiling point/range°C:	>149 Melting point/range°C: -31	
Flash point°C:	60 - 93 Part.coeff. n-octanol/water: 1.42	
Autoflammability°C:	450 Vapour pressure: 700mBar	
Relative density:	1.05 VOC g/l: <20	
9.2. Other information		
Other information:	No data available.	
Section 10: Stability and read	ctivity	
10.1. Reactivity		
Reactivity:	Stable under recommended transport or storage conditions.	
10.2. Chemical stability		
Chemical stability:	Stable under normal conditions.	
10.3. Possibility of hazardous	s reactions	
Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions.	
	Decomposition may occur on exposure to conditions or materials listed below	

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames.

151 FAST ADHESIVE GLUE & ACCELERATOR (ADHESIVE)

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids. Water. Alcohols. Amines.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

ORL RAT LD50	>5 ml/kg	
--------------	----------	--

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. May bond the eye to the eyelid.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

151 FAST ADHESIVE GLUE & ACCELERATOR (ADHESIVE)

12.6. Other adverse effects	
Other adverse effects:	
Section 13: Disposal conside	erations
13.1. Waste treatment metho	ds
Disposal operations:	Disposal should be in accordance with Local Authority Regulations.
Disposal of packaging:	Disposal should be in accordance with Local Authority Regulations.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.
Section 14: Transport inform	nation
Transport class:	This product does not require a classification for transport.
Section 15: Regulatory infor	mation
15.1. Safety, health and envir	onmental regulations/legislation specific for the substance or mixture
Specific regulations:	Not applicable.
15.2. Chemical Safety Assess	sment
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture
	by the supplier.
Section 16: Other informatio	n
Other information	
Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation
	(EU) 2015/830
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the
	reach of children.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.