

CHATSWORTH CITRONELLA INCENSE STICKS

Page: 1

Compilation date: 12/02/2014

Revision date: 14/05/19

Revision No: 2

### Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name:	CHATSWORTH CITRONELLA INCENSE STICKS

Product code: CH0220A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SU 21 - Consumer Uses.

PC3: Air care products.

## 1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Ltd

The Old School House

39 Bengal Street

Manchester

- M4 6AF
- United Kingdom
- Tel: +44 (0)161 839 5949
- Fax: +44 (0)161 839 5493
- Email: fereshteh@151.co.uk

## 1.4. Emergency telephone number

Emergency tel: +44 (0)161 839 5949

(office hours only)

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Skin Sens. 1: H317

Most important adverse effects: May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

## CHATSWORTH CITRONELLA INCENSE STICKS

		i age.	2
Precautionary statements:	P102: Keep out of reach of children.		
	P264: Wash hands thoroughly after handling.		
	P333+P313: If skin irritation or rash occurs: Get medical advice/attention.		
	P101: If medical advice is needed, have product container or label at hand.		
	P273: Avoid release to the environment.		
	P501: Dispose of contents/container to local authority regulations.		
2.3. Other hazards			

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

## 3.2. Mixtures

## Hazardous ingredients:

### DIETHYL PHTHALATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
201-550-6	84-66-2	Substance with a Community workplace exposure limit.	-	1-10%

## CITRAL

226-394-6 5392-40-5 -	Skin Irrit. 2: H315; Skin Sens. 1: H317	1-10%
-----------------------	---	-------

### GERANIOL

203-377-1	106-24-1	-	Skin Irrit. 2: H315; Eye Dam. 1: H318;	<1%
			Skin Sens. 1: H317	

## CITRONELLAL

203-376-6	106-23-0	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	<1%
			Skin Sens. 1: H317; Aquatic Chronic 3:	
			H412	

## TERPINOLENE

209-578-0	586-62-9	-	Aquatic Chronic 1: H410; Skin Sens.	<1%
			1B: H317; Asp. Tox. 1: H304	

## NEROL

203-378-7	106-25-2	-	Eye Dam. 1: H318; Skin Irrit. 2: H315;	<1%	l
			Skin Sens. 1B: H317		

**Contains:** Contains allergens >0.01%.

Citral

Citronellol

Geraniol

### Section 4: First aid measures

Page: 2

#### CHATSWORTH CITRONELLA INCENSE STICKS

#### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

#### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Do not create dust.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### CHATSWORTH CITRONELLA INCENSE STICKS

# Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

### 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

## 8.1. Control parameters

Workplace exposure limits: No data available.

### **DNEL/PNEC** Values

### Hazardous ingredients:

### DIETHYL PHTHALATE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	10.56mg/m3	Workers	Systemic
DNEL	Dermal	15mg/kg/day	Workers	Systemic
DNEL	Inhalation	2.6mg/m3	General Population	Systemic
DNEL	Dermal	7.5mg/kg/day	General Population	Systemic
DNEL	Oral	0.75mg/kg/day	General Population	Systemic
PNEC	Fresh water	12ug/L	-	-
PNEC	Marine water	1.2ug/L	-	-
PNEC	Fresh water sediments	0.137mg/kg	-	-
PNEC	Marine sediments	0.0137mg/kg	-	-
PNEC	Soil	0.137mg/kg	-	-

### CITRAL

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	9mg/m³	Workers	Systemic
DNEL	Dermal	1.7mg/kg	Workers	Systemic
DNEL	Inhalation	2.7mg/m³	General Population	Systemic
DNEL	Dermal	1mg/kg	General Population	Systemic
DNEL	Dermal	140µg/cm²	General Population	Local
DNEL	Oral	0.6mg/kg	General Population	Systemic

## CHATSWORTH CITRONELLA INCENSE STICKS

PNEC	Fresh water	0.007mg/L	-	-
PNEC	Fresh water sediments	0.125mg/kg	-	-
PNEC	Marine water	0.001 mg/L	-	-
PNEC	Marine sediments	0.013mg/kg	-	-
PNEC	Soil	0.021mg/kg	-	-
PNEC	STP	1.6mg/L	-	-

## GERANIOL

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	161.6mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal	12.5mg/kg	Workers	Systemic
DNEL	Dermal	11800µg/cm²	Workers	Local
DNEL	Inhalation	47.8mg/m <sup>3</sup>	General Population	Systemic
DNEL	Dermal	7.5mg/kg	General Population	Systemic
DNEL	Dermal	11800µg/cm²	General Population	Local
DNEL	Oral	13.75mg/kg	General Population	Systemic
PNEC	Fresh water	0.011mg/L	-	-
PNEC	Fresh water sediments	0.115mg/kg	-	-
PNEC	Marine water	0.001 mg/L	-	-
PNEC	Marine sediments	0.011mg/kg	-	-
PNEC	Soil	0.017mg/kg	-	-

# CITRONELLAL

Effect	Population	Value	Exposure	Туре
Systemic	Workers	9mg/m³	Inhalation (repeated dose)	DNEL
Systemic	Workers	1.7mg/kg bw	Dermal (repeated dose)	DNEL
Local	Workers	140µg/cm²	Dermal (repeated dose)	DNEL
Systemic	General Population	2.7mg/m³	Inhalation (repeated dose)	DNEL
Systemic	General Population	1mg/kg bw	Dermal (repeated dose)	DNEL
Local	General Population	140µg/cm²	Dermal (repeated dose)	DNEL
Systemic	General Population	0.6mg/kg bw	Oral (repeated dose)	DNEL
-	-	0.009mg/L	Fresh water	PNEC
-	-	0.087mg/L	Fresh water intermittent release	PNEC
-	-	0.159	Fresh water sediments	PNEC
		mg/kgsediment		
-	-	0.001mg/L	Marine water	PNEC
-	-	0.016mg/kg	Marine sediments	PNEC
		sediment		
-	-	4mg/L	Microorganisms in sewage treatment	PNEC

### CHATSWORTH CITRONELLA INCENSE STICKS

**Page:** 6

PNEC Soil 0.027mg/kg soil	
---------------------------	--

### TERPINOLENE

Туро	Exposure	Value	Population	Effect
Туре				
DNEL	Inhalation	3.6 mg/m <sup>3</sup>	Workers	Systemic (Long
				Term Exposure)
DNEL	Dermal	0.52 mg/kg bw/day	Workers	Systemic (Long
				Term Exposure)
DNEL	Dermal	44 µg/cm²	Workers	Local (long Term
		13		Exposure)
DNEL	Inhalation	0.9 mg/m³	General Population	Systemic (Long
	initiation	0.0 mg/m	General i opulation	Term Exposure)
				. ,
DNEL	Dermal	0.26 mg/kg bw/day	General Population	Systemic (Long
				Term Exposure)
DNEL	Oral	0.26 mg/kg bw/day	General Population	Systemic (Long
				Term Exposure)
PNEC	Fresh water sediments	0.634 µg/L	-	-
PNEC	Fresh water sediments	147 µg/kg sediment	-	-
		d		
PNEC	Marine water	0.063 µg/L	-	-
PNEC	Marine sediments	14.7 µg/kg	-	-
		sediment		
PNEC	Soil	29.1 µg/kg soil dw	-	-

## NEROL

Туре	Exposure	Value	Population	Effect
DNEL	Oral	5.4 mg/m³	Workers	Systemic
DNEL	Dermal	0.76 mg/kg bw/day	Workers	Systemic
DNEL	Dermal	133 µg/cm²	Workers	Local
DNEL	Oral	0.38 mg/kg bw/day	General Population	Systemic
PNEC	Fresh water	7.45 μg/L	-	-
PNEC	Marine water	0.745 μg/L	-	-
PNEC	Fresh water sediments	133 μg/kg sediment d	-	-
PNEC	Marine sediments	13.3 μg/kg sediment	-	-
PNEC	Soil	22.3 μg/kg soil dw	-	-

## 8.2. Exposure controls

 Engineering measures:
 Ensure there is sufficient ventilation of the area.

 Respiratory protection:
 Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.

 Hand protection:
 Protective gloves.

 Eye protection:
 Safety glasses. Ensure eye bath is to hand.

#### CHATSWORTH CITRONELLA INCENSE STICKS

Page: 7

Skin protection: Protective clothing.

#### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Solid

Colour: Yellow

Odour: Pleasant

Solubility in water: Insoluble

9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

#### Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### DIETHYL PHTHALATE

DERMAL	RAT	LD50	>10	mL/kg
ORAL	RAT	LD50	8600	mg/kg
VAPOURS	RAT	6H LC50	>511	ppm

## CHATSWORTH CITRONELLA INCENSE STICKS

Page: 8

## CITRAL

IPR	RAT	LD50	460	mg/kg
ORL	MUS	LD50	6	g/kg
ORL	RAT	LD50	4960	mg/kg

## GERANIOL

DERMAL	RAT	LD50	>5000	mg/kg
ORAL	RAT	LD50	3600	mg/kg

## CITRONELLAL

DERMAL	RBT	LD50	>2500<5000	mg/kg
IP	MUS	LD50	>200 <700	mg/kg
ORAL	RAT	LD50	>2500	mg/kg

## TERPINOLENE

DERMAL	RABBIT	LD50	4300	mg/kg
ORAL	RAT	LD50	3740	mg/kg

#### NEROL

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	4500	mg/kg

#### Relevant hazards for product:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

### Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

## CHATSWORTH CITRONELLA INCENSE STICKS

**Page:** 9

## DIETHYL PHTHALATE

ALGAE (Desmodesmus subspicatus)	72H ErC50 (Biomass)	23	mg/l
ALGAE (Desmodesmus subspicatus)	72H ErC50 (Growth ra	45	mg/l
DAPHNIA (Daphnia magna)	48H EC50	90	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	12	mg/l

## CITRAL

Daphnia magna	48H EC50	6.8	mg/l
FRESHWATER FISH	96H LC50	6.78	mg/l
Scenedesmus Subspicatus	72H ErC50	103.8	mg/l

## GERANIOL

Daphnia magna	48H EC50	10.8	mg/l
Desmodesmus subspicatus	72H ErC50	13.1	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC0	10	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC100	46.4	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	22	mg/l

## CITRONELLAL

ALGAE	72H ErC50	13.33	mg/l
Daphnia magna	48H EC50	8.68	mg/l
FISH	96H LC50	22	mg/l

## TERPINOLENE

Daphnia magna	48H EC50	0.634	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	0.805	mg/l

#### NEROL

Daphnia magna	48H EC50	32.4	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	20	mg/l

## 12.2. Persistence and degradability

## Persistence and degradability: Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

Mobility: Insoluble in water.

### CHATSWORTH CITRONELLA INCENSE STICKS

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Disposal should be in accordance with local authority regulations.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

Transport class: This product does not require a classification for transport.

### Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: A REACH registration number is not applicable as this product is a mixture.

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

### Section 16: Other information

## Other information

Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation
	(EU) 2015/830
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H304: May be fatal if swallowed and enters airways.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H410: Very toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.