

# CHUPA CHUPS CAR AIR FRESHENER - WILD WATERMELON

Page: 1

Compilation date: 11/09/2018

Revision No: 1

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: CHUPA CHUPS CAR AIR FRESHENER - WILD WATERMELON

Product code: CHU1018

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC3: Air care products.

# 1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited

The Old School House

39 Bengal Street

Manchester

M4 6AF

UK

**Tel:** 0161 839 5949

Fax: 0161 839 5493

Email: fereshteh@151.co.uk

# 1.4. Emergency telephone number

Emergency tel: +44 (0)161 839 5949 (08:00 - 17:30)

(office hours only)

# **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: -: EUH208

Most important adverse effects: Contains methylenedioxyphenyl methylpropanal, cyclamen aldehyde, alpha damascone.

May produce an allergic reaction.

### 2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains methylenedioxyphenyl methylpropanal, cyclamen aldehyde, alpha

damascone. May produce an allergic reaction.

Precautionary statements: P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

P501: Dispose of contents/container to Local authority regulations.

# 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# CHUPA CHUPS CAR AIR FRESHENER - WILD WATERMELON

Page: 2

# Section 3: Composition/information on ingredients

### 3.2. Mixtures

# **Hazardous ingredients:**

### DIETHYL PHTHALATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
201-550-6	84-66-2	Substance with a Community workplace exposure limit.	-	10-25%
4-(P-HYDROX	YPHENYL)-2-BU	JTANONE		
226-806-4	5471-51-2	-	Acute Tox. 4: H302	1-3%
METHYL DEC	ENOL			
279-815-0	81782-77-6	-	Aquatic Acute 1: H400	<1%
ETHYL 3-MET	HYL-3-PHENYL	GLYCIDATE		
201-061-8	77-83-8	-	Skin Sens. 1B: H317; Aquatic Chronic 2: H411	<1%
TETRAMETH	L ACETYLOCT	AHYDRONAPHTHALE		
259-174-3	54464-57-2	-	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411	<1%
ALLYL 3-CYC	LOHEXYLPROP	IONATE		
220-292-5	2705-87-5	-	Acute Tox. 4: H302; Skin Sens. 1B: H317; Aquatic Chronic 1: H410; Aquatic Acute 1: H400; Acute Tox. 4: H312; Acute Tox. 4: H332	<1%
ALLYL HEPTA	NOATE			
205-527-1	142-19-8	-	Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Acute Tox. 3: H311; Acute Tox. 3: H311; Aquatic Chronic 3: H412	<1%

# Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

# CHUPA CHUPS CAR AIR FRESHENER - WILD WATERMELON

Page: 3

Inhalation: There may be irritation of the nose and upper respiratory tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

### **Section 5: Fire-fighting measures**

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

# 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

#### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

# 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

Workplace exposure limits: No data available.

# CHUPA CHUPS CAR AIR FRESHENER - WILD WATERMELON

Page: 4

# **DNEL/PNEC Values**

# Hazardous ingredients:

# DIETHYL PHTHALATE

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	10.56mg/m3	Workers	Systemic
DNEL	Dermal	15mg/kg/day	Workers	Systemic
DNEL	Inhalation	2.6mg/m3	General Population	Systemic
DNEL	Dermal	7.5mg/kg/day	General Population	Systemic
DNEL	Oral	0.75mg/kg/day	General Population	Systemic
PNEC	Fresh water	12ug/L	-	-
PNEC	Marine water	1.2ug/L	-	-
PNEC	Fresh water sediments	0.137mg/kg	-	-
PNEC	Marine sediments	0.0137mg/kg	-	-
PNEC	Soil	0.137mg/kg	-	-

# 4-(P-HYDROXYPHENYL)-2-BUTANONE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (Long term)	114.24mg/m³	Workers	Systemic
DNEL	Dermal (Long term)	170mg/kg bw	Workers	Systemic
DNEL	Inhalation (Long term)	59.5 mg/m³	General Population	Systemic
DNEL	Dermal (Long term)	170 mg/kg bw	General Population	Systemic
DNEL	Oral (Long term)	17mg/kg bw	General Population	Systemic
PNEC	Fresh water	0.1mg/L	-	-
PNEC	Fresh water sediments	0.307mg/kg sediment	-	-
PNEC	Marine water	0.01mg/L	-	-
PNEC	Marine sediments	0.031mg/kg sediment	-	-
PNEC	Soil	0.198mg/kg soil	-	-

# **METHYL DECENOL**

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (Long term)	98.7mg/m³	Workers	Systemic
DNEL	Inhalation (Long term)	88.16mg/m <sup>3</sup>	Workers	Local
DNEL	Dermal (Long term)	10mg/kg bw	Workers	Systemic
DNEL	Dermal (Long term)	25mg/cm <sup>2</sup>	Workers	Local
DNEL	Inhalation (Long term)	14.4mg/m³	General Population	Systemic
DNEL	Inhalation (Long term)	21.74mg/m³	General Population	Local
DNEL	Dermal (Long term)	89.3 μg/kg bw	General Population	Systemic

# CHUPA CHUPS CAR AIR FRESHENER - WILD WATERMELON

Page: 5

DNEL	Dermal (Long term)	12.5mg/cm <sup>2</sup>	General Population	Local
DNEL	Oral (Long term)	10 mg/kg bw	General Population	Systemic
PNEC	Fresh water	0.76µg/L	-	-
PNEC	Fresh water sediments	92µg/kg sediment	-	-
PNEC	Marine water	76ng/L	-	-
PNEC	Marine sediments	9.2µg/kg sediment	-	-
PNEC	Microorganisms in sewage treatment	10mg/L	-	-
PNEC	Soil	18µg/kg soil	-	-
PNEC	Food chain	111mg/kg	-	-

### **ALLYL 3-CYCLOHEXYLPROPIONATE**

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	15mg/m³	Workers	Systemic
DNEL	Dermal	4.3mg/kg bw	Workers	Systemic
DNEL	Inhalation	3.7mg/m³	Workers	Systemic
DNEL	Dermal	2.1mg/kg bw	Workers	Systemic
DNEL	Oral	2.1mg/kg bw	General Population	Systemic
PNEC	Fresh water	0.13µg/L	-	-
PNEC	Fresh water sediments	24.13µg/kg	-	-
		sediment		
PNEC	Marine water	0.013µg/L	1	-
PNEC	Marine sediments	2.41µg/kg sediment	-	-
PNEC	Microorganisms in sewage	0.2mg/L	-	-
	treatment			
PNEC	Soil	4.75µg/kg soil	-	-

# 8.2. Exposure controls

 $\begin{tabular}{ll} \textbf{Engineering measures:} & \textbf{Ensure there is sufficient ventilation of the area.} \\ \end{tabular}$ 

Respiratory protection: No special requirements under normal conditions of use.

Hand protection: No special requirements under normal conditions of use.

Eye protection: No special requirements under normal conditions of use.

Skin protection: No special requirements under normal conditions of use.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Solid
Colour: Various
Odour: Pleasant

Solubility in water: Insoluble

# CHUPA CHUPS CAR AIR FRESHENER - WILD WATERMELON

Page: 6

### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

# Hazardous ingredients:

### **DIETHYL PHTHALATE**

DERMAL	RAT	LD50	>10	mL/kg
ORAL	RAT	LD50	8600	mg/kg
VAPOURS	RAT	6H LC50	>511	ppm

# 4-(P-HYDROXYPHENYL)-2-BUTANONE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT (Female)	LD50	>2000	mg/kg

# **METHYL DECENOL**

DERMAL	RBT	LD50 Read Across	>5	ml/kg
ORAL	MUS	LD50	>4000	mg/kg

# CHUPA CHUPS CAR AIR FRESHENER - WILD WATERMELON

Page: 7

# **ETHYL 3-METHYL-3-PHENYLGLYCIDATE**

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	5470	mg/kg

# **ALLYL 3-CYCLOHEXYLPROPIONATE**

DERMAL	RABBIT	LD50	1600	mg/kg
ORAL	GUINEA PIG	LD50	380	mg/kg
ORAL	RAT	LD50	585	mg/kg

# **ALLYL HEPTANOATE**

DERMAL	RBT	LD50	810	mg/kg
ORAL	RAT	LD50	218	mg/kg

Toxicity values: No data available.

# Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.Inhalation: There may be irritation of the nose and upper respiratory tract.

# Section 12: Ecological information

# 12.1. Toxicity

# **Hazardous ingredients:**

# **DIETHYL PHTHALATE**

ALGAE (Desmodesmus subspicatus)	72H ErC50 (Biomass)	23	mg/l
ALGAE (Desmodesmus subspicatus)	72H ErC50 (Growth ra	45	mg/l
DAPHNIA (Daphnia magna)	48H EC50	90	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	12	mg/l

# 4-(P-HYDROXYPHENYL)-2-BUTANONE

ALGAE (QSAR)	96H ErC50	101.054	mg/l
Daphnia magna	48H EC50	<100	mg/l
FISH (QSAR)	96H LC50	75.746	mg/l

# CHUPA CHUPS CAR AIR FRESHENER - WILD WATERMELON

Page: 8

# **METHYL DECENOL**

ALGAE	72H ErC50	1.4	mg/l
Daphnia magna	48H EC50	0.4	mg/l
FATHEAD MINNOW(Pimephales promelas)	96H LC50	3	mg/l

### **ETHYL 3-METHYL-3-PHENYLGLYCIDATE**

	RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	4.2	ma/l
--	-------------------------------------	----------	-----	------

# **ALLYL 3-CYCLOHEXYLPROPIONATE**

FATHEAD MINNOW (Pimephalis pimelas	96H LC50	0.13	ma/l
TATREAD WIINNOW (FILLEPHALS PILLERS	96H LC50	0.13	mg/l

### **ALLYL HEPTANOATE**

Daphnia magna	48H EC50	0.89	mg/l
Desmodesmus subspicatus	72H ErC50 (Read	>4.6	mg/l
	acro		
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50 (Read	0.117	mg/l
	acros		

# 12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

### 12.4. Mobility in soil

Mobility: Insoluble in water.

# 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Disposal should be in accordance with Local Authority Regulations.

**Disposal of packaging:** Disposal should be in accordance with Local Authority Regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

# CHUPA CHUPS CAR AIR FRESHENER - WILD WATERMELON

Page: 9

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

#### Section 16: Other information

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.