

## CAR PRIDE LEATHER CLEANING SPRAY

Page: 1

Compilation date: 25/06/2007

**Revision date:** 02/04/2015

Revision No: 5

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: CAR PRIDE LEATHER CLEANING SPRAY

Product code: CP033A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SU 21 - Consumer Uses.

PC23: Leather tanning, dye, finishing, impregnation and care products.

## 1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited

The Old School House 39 Bengal Street Manchester

M4 6AF UK

**Tel:** 0161 839 5949 **Fax:** 0161 839 5493

Email: fereshteh@151.co.uk

## 1.4. Emergency telephone number

## Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; STOT SE 3: H336; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Flam. Aerosol 1: H222; -: EUH208; -: H229

Most important adverse effects: Contains hexyl cinnamal. May produce an allergic reaction. Extremely flammable

aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life with long

lasting effects.

#### 2.2. Label elements

#### Label elements:

Hazard statements: EUH208: Contains hexyl cinnamal. May produce an allergic reaction.

H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

## CAR PRIDE LEATHER CLEANING SPRAY

Page: 2

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark GHS09: Environmental







Precautionary statements: P102: Keep out of reach of children.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use. P264: Wash hands thoroughly after handling.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/obtain medical

attention.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents & container to Local authority regulations.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

# 3.2. Mixtures

## **Hazardous ingredients:**

## **HEPTANE**

| EINECS    | CAS      | PBT / WEL | CLP Classification   | Percent |
|-----------|----------|-----------|--|---------|
| 205-563-8 | 142-82-5 | -         | Flam. Liq. 2: H225; Asp. Tox. 1: H304;<br>Skin Irrit. 2: H315; STOT SE 3: H336;<br>Aquatic Acute 1: H400; Aquatic Chronic<br>1: H410 | 25-50%  |

### **BUTANE**

| 203-448-7 | 106-97-8 | Substance with a Community | Flam. Gas 1: H220; Press. Gas: H280 | 10-25% |
|-----------|----------|----------------------------|-------------------------------------|--------|
|           |          | workplace exposure limit.  |                                     |        |

## CAR PRIDE LEATHER CLEANING SPRAY

Page: 3

#### **ISOBUTANE**

| 200-857-2            | 75-28-5    | Substance with a Community workplace exposure limit. | Flam. Gas 1: H220; Press. Gas: H280          | 10-25% |  |  |
|----------------------|------------|--|--|--------|--|--|
| PROPANE              |            |  |  |        |  |  |
| 200-827-9            | 74-98-6    | Substance with a Community workplace exposure limit. | Flam. Gas 1: H220; Press. Gas: H280          | 10-25% |  |  |
| POLYDIMETHYLSILOXANE |            |  |  |        |  |  |
| -                    | 63148-62-9 | -  | -  | 3-5%   |  |  |
| HEXYL CINNAMAL       |            |  |  |        |  |  |
| 202-983-3            | 101-86-0   | -  | Skin Sens. 1B: H317; Aquatic Chronic 2: H411 | <1%    |  |  |

**Contains:** \* Contains the following allergens >0.01%:

Benzyl salicylate Hexyl cinnamal

Alpha-Isomethyl ionone

Lyral (Hydroxyisohexyl 3-cyclohexene carboxaldehyde)

## Section 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. Consult a doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Transfer to hospital as soon as

possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor. Solvent abuse can kill.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: \* There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

**Inhalation:** \* There may be irritation of the nose and upper respiratory tract. Solvent abuse can kill.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

## CAR PRIDE LEATHER CLEANING SPRAY

Page: 4

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes. Vapour may travel considerable distance to source of

ignition and flash back. Pressurized container may explode in the heat of a fire.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

## 7.1. Precautions for safe handling

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. KEEP OUT OF

THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

## 8.1. Control parameters

#### Hazardous ingredients:

## CAR PRIDE LEATHER CLEANING SPRAY

Page: 5

## **HEPTANE**

#### Workplace exposure limits:

#### Respirable dust

| State     | 8 hour TWA 15 min. STEL |            | 8 hour TWA | 15 min. STEL |  |
|-----------|-------------------------|------------|------------|--------------|--|
| UK        | 2100 mg/m3              | 8400 mg/m3 | -          | -            |  |
| BUTANE    |                         |            |            |              |  |
| UK        | 1450 mg/m3              | 1810 mg/m3 | -          | -            |  |
| ISOBUTANE |                         |            |            |              |  |
| UK        | 2400 mg/m3              | 9600 mg/m3 | -          | -            |  |
| PROPANE   |                         |            |            |              |  |
| UK        | 1800 mg/m3              | 7200 mg/m3 | -          | -            |  |

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: No special requirements under normal conditions of use.

Hand protection: Protective gloves.

**Eye protection:** No special requirements under normal conditions of use. **Skin protection:** No special requirements under normal conditions of use.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Aerosol
Colour: Colourless

Odour: Perceptible odour

Solubility in water: Insoluble

Also soluble in: Most organic solvents.

Viscosity: Non-viscous

Boiling point/range°C: 60 Flash point°C: -20

Relative density: 0.72

## 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## CAR PRIDE LEATHER CLEANING SPRAY

Page: 6

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat. Direct sunlight. Sources of ignition.

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

#### **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### **Hazardous ingredients:**

#### **HEPTANE**

| 17/7/1 | MUC | I DEO | 202 |       |
|--------|-----|-------|-----|-------|
| IVN    | MUS | LD50  | 222 | mg/kg |

## Relevant hazards for substance:

| Hazard                    | Route | Basis                 |
|---------------------------|-------|-----------------------|
| Skin corrosion/irritation | DRM   | Hazardous: calculated |
| STOT-single exposure      | -     | Hazardous: calculated |

#### Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

 $\textbf{Ingestion:} \quad {}^{\star}\text{There may be soreness and redness of the mouth and throat. Nausea and stomach}$ 

pain may occur. There may be vomiting.

Inhalation: \* There may be irritation of the nose and upper respiratory tract. Solvent abuse can kill.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## **Section 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity values: No data available.

#### 12.2. Persistence and degradability

Persistence and degradability: No data available.

## CAR PRIDE LEATHER CLEANING SPRAY

Page: 7

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with Local Authority Regulations. Do not puncture

containers prior to disposal.

**Disposal of packaging:** Disposal should be in accordance with Local Authority Regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

**Section 14: Transport information** 

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D
Transport category: 2

**Section 15: Regulatory information** 

## CAR PRIDE LEATHER CLEANING SPRAY

Page: 8

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: A REACH registration number is not applicable as this product is a mixture.

#### 15.2. Chemical Safety Assessment

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H225: Highly flammable liquid and vapour.

H229: Pressurised container: May burst if heated

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.