

DUZZIT POWER BLUE TOILET BLOCK TABLETS

Page: 1

Compilation date: 05/11/2008

Revision date: 29/07/2015

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

### Product name: DUZZIT POWER BLUE TOILET BLOCK TABLETS

Product code: DZT1036-36

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SU 21 - Consumer Uses.

PC8: Biocidal products (e.g. Disinfectants, pest control).

#### 1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited The Old School House 39 Bengal Street Manchester M4 6AF UK Tel: 0161 839 5949 Fax: 0161 839 5493 Email: fereshteh@151.co.uk

# 1.4. Emergency telephone number

## Section 2: Hazards identification

2.1. Classification of the subs	stance or mixture
Classification under CLP:	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315; -: EUH031; -: EUH208
Most important adverse effects:	Contact with acids liberates toxic gas. Contains chloro-2-methyl-4-isothiazolin-3-one/2
	-methyl-4-isothiazolin-3-one. May produce an allergic reaction. Harmful if swallowed.
	Causes skin irritation. Causes serious eye irritation.
2.2. Label elements	
Label elements:	
Hazard statements:	EUH031: Contact with acids liberates toxic gas.
	EUH208: Contains chloro-2-methyl-4-isothiazolin-3-one/2-methyl-4-isothiazolin-3-one.
	May produce an allergic reaction.
	H302: Harmful if swallowed.


H315: Causes skin irritation.

H319: Causes serious eye irritation.

Signal words: Warning

## DUZZIT POWER BLUE TOILET BLOCK TABLETS

Page: 2



2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

#### SODIUM CARBONATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	5-10%

#### SODIUM DODECYL BENZENE SULPHONATE

246-80-4	25155-30-0	-	Acute Tox. 4: H302; Eye Irrit. 2: H319;	5-10%
			Acute Tox. 4: H312	

### COCAMIDE DEA

271-657-0	68603-42-9	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-3%
-----------	------------	---	---	------

## SODIUM LAURETH SULPHATE

-	9004-82-4	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	1-3%
			Eye Irrit. 2: H319	

#### CALCIUM HYPOCHLORITE

231-908-7	7778-54-3	-	Ox. Sol. 2: H272; Acute Tox. 4: H302;	1-3%
			Skin Corr. 1B: H314; Aquatic Acute 1:	
			H400; -: EUH031	

## DUZZIT POWER BLUE TOILET BLOCK TABLETS

Page: 3

#### CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE/2-METHYL-4-ISOTHIAZOLIN-3-ONE

-	-	-	Skin Corr. 1A: H314; Skin Sens. 1:	<1%
			H317; STOT SE 3: H335	

Contains: Contains anionic & non-ionic surfactants.

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the nose and upper respiratory tract. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

#### Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Do not create dust.

#### 6.2. Environmental precautions

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method. Wash the spillage site with large amounts of water.

## DUZZIT POWER BLUE TOILET BLOCK TABLETS

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

#### **DNEL/PNEC** Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	No special requirements under normal conditions of use.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses.
Skin protection:	No special requirements under normal conditions of use.

#### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State:	Solid
--------	-------

Colour: Blue

Odour: Pleasant

Solubility in water: Soluble

### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## DUZZIT POWER BLUE TOILET BLOCK TABLETS

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Acids. Bases.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

11.1. Information on toxicological effects

#### Hazardous ingredients:

## SODIUM CARBONATE

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	2800	mg/kg

### COCAMIDE DEA

ORAL	RAT	LD50	>3000	mg/kg
------	-----	------	-------	-------

#### **CALCIUM HYPOCHLORITE**

ORL RAT LD50 850 mg/kg
------------------------

## CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE/2-METHYL-4-ISOTHIAZOLIN-3-ONE

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	4200	mg/kg
VAPOURS	RAT	4H LC50	0.33	mg/l

### Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

## DUZZIT POWER BLUE TOILET BLOCK TABLETS

**Page:** 6

Symptoms / routes of exposit	ıre
Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the nose and upper respiratory tract. Exposure may cause
	coughing or wheezing.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
Continue 40: Englaging inform	

#### Section 12: Ecological information

#### 12.1. Toxicity

#### Hazardous ingredients:

### SODIUM CARBONATE

BLUEGILL (Lepomis macrochirus)	96H LC50	300	mg/l
Ceriodaphnia sp.	48H EC50	200	mg/l

#### CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE/2-METHYL-4-ISOTHIAZOLIN-3-ONE

BLUEGILL (Lepomis macrochirus)	96H LC50	0.28	mg/l
Daphnia magna	48H EC50	0.16	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.19	mg/l

### 12.2. Persistence and degradability

### Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Soluble in water.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Disposal should be in accordance with Local Authority Regulations.
Disposal of packaging:	Disposal should be in accordance with Local Authority Regulations.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

# DUZZIT POWER BLUE TOILET BLOCK TABLETS

Section 14: Transport information		
Transport class:	This product does not require a classification for transport.	
Section 15: Regulatory inform	mation	
15.1. Safety, health and envir	onmental regulations/legislation specific for the substance or mixture	
Specific regulations:	A REACH registration number is not applicable as this product is a mixture.	
	The surfactant(s) contained in this product complies (comply) with the biodegradability	
	criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this	
	assertion are held at the disposal of the competent authorities.	
15.2. Chemical Safety Assess	sment	
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture	
	by the supplier.	
Section 16: Other informatio	n	
Other information		
Other information		
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3:	EUH031: Contact with acids liberates toxic gas.	
	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>	
	H272: May intensify fire; oxidiser.	
	H302: Harmful if swallowed.	
	H312: Harmful in contact with skin.	
	H314: Causes severe skin burns and eye damage.	
	H315: Causes skin irritation.	
	H317: May cause an allergic skin reaction.	
	H319: Causes serious eye irritation.	
	H335: May cause respiratory irritation.	
	H400: Very toxic to aquatic life.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
	and shall be used only as a guide. This company shall not be held liable for any	
	damage resulting from handling or from contact with the above product.	