

# PAN AROMA SOOTHING LAVENDER WAX BURNER

**Page:** 1

Compilation date: 17/02/2017

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### Product name: PAN AROMA SOOTHING LAVENDER WAX BURNER

Product code: PAN0120

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** SU 21 - Consumer Uses. PC3: Air care products.

### 1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited

	The Old School House		
	39 Bengal Street		
	Manchester		
	M4 6AF		
	UK		
Tel:	0161 839 5949		
Fax:	0161 839 5493		
Email:	fereshteh@151.co.uk		

## 1.4. Emergency telephone number

# Section 2: Hazards identification

2.1. Classification of the substance or mixture				
Classification under CLP: Aquatic Chronic 3: H412; -: EUH208				
Most important adverse effects: Contains benzyl salicylate, tetramethyl acetyloctahydronaphthale, cyclamen aldehyde.				
	May produce an allergic reaction. Harmful to aquatic life with long lasting effects.			
2.2. Label elements				

#### Label elements:

Hazard statements:	EUH208: Contains benzyl salicylate, tetramethyl acetyloctahydronaphthale, cyclamen
	aldehyde. May produce an allergic reaction.
	H412: Harmful to aquatic life with long lasting effects.
Precautionary statements:	P102: Keep out of reach of children.
	P264: Wash hands thoroughly after handling.
	P273: Avoid release to the environment.
	P333+313: If skin irritation or rash occurs: Get medical advice.
	P501: Dispose of contents & container to Local authority regulations.

## PAN AROMA SOOTHING LAVENDER WAX BURNER

### 2.3. Other hazards

#### **PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

#### **BENZYL BENZOATE**

EINECS	CAS	PBT / WEL	CLP Classification	Percent
204-402-9	120-51-4	-	Acute Tox. 4: H302; Aquatic Chronic 2: H411	1-3%

#### BENZYL SALICYLATE

204-262-9	118-58-1	-	STOT SE 2: H371; Aquatic Chronic 3:	<1%
			H412; Eye Irrit. 2: H319; Skin Sens. 1:	
			H317	

#### TETRAMETHYL ACETYLOCTAHYDRONAPHTHALE

259-174-3	54464-57-2	-	Skin Irrit. 2: H315; Skin Sens. 1: H317;	<1%	
			Aquatic Chronic 2: H411		

# CYCLAMEN ALDEHYDE

203-161-7	103-95-7	-	Aquatic Chronic 2: H411; Skin Sens. 1:	<1%
			H317; Skin Irrit. 2: H315	

**Contains:** Contains the following allergens >0.01%:

- Benzyl benzoate
- Benzyl salicylate
- Linalool

## Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the nose and upper respiratory tract.

## PAN AROMA SOOTHING LAVENDER WAX BURNER

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

#### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method. Wash the spillage site with large amounts of water.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Should be kept in original packaging

7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: No data available.

## PAN AROMA SOOTHING LAVENDER WAX BURNER

#### **DNEL/PNEC** Values

#### Hazardous ingredients:

#### **BENZYL SALICYLATE**

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	3.17mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal	0.9mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	0.78mg/m³	General Population	Systemic
DNEL	Dermal	0.45mg/kg bw/day	General Population	Systemic
DNEL	Oral	0.45mg/kg bw/day	General Population	Systemic
PNEC	Fresh water	0.001mg/L	-	-
PNEC	Fresh water sediments	0.583mg/kg sediment	-	-
PNEC	Marine sediments	0.058mg/kg sediment	-	-
PNEC	Soil	1.41mg/kg soil dw	-	-
PNEC	Oral	80mg/kg food	-	-

## 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.
Respiratory protection: No special requirements under normal conditions of use.
Hand protection: No special requirements under normal conditions of use.
Eye protection: No special requirements under normal conditions of use.
Skin protection: No special requirements under normal conditions of use.

### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Solid

Odour: Pleasant

Solubility in water: Insoluble

### 9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## PAN AROMA SOOTHING LAVENDER WAX BURNER

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat. Flames.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

## 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### **BENZYL BENZOATE**

DERMAL	RBT	LD50	>2	ml/Kg
IP	RAT	LD50	1078	mg/kg

#### **BENZYL SALICYLATE**

DERMAL	RBT	LD50	14.1	g/kg
ORAL	RAT	LD50	2227	mg/kg

### CYCLAMEN ALDEHYDE

DERMAL	RAT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the nose and upper respiratory tract.

#### Section 12: Ecological information

12.1. Toxicity

## PAN AROMA SOOTHING LAVENDER WAX BURNER

**Page:** 6

### Hazardous ingredients:

## BENZYL BENZOATE

GREEN ALGA (Selenastrum capricornutum)	72H ErC50	0.475	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	0.29	mg/l

### **BENZYL SALICYLATE**

GREEN ALGA (Selenastrum capricornutum)	72H ErC50	1.29	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	1.03	mg/l

#### **CYCLAMEN ALDEHYDE**

(Q)SAR	96H LC50	<10	mg/l
Daphnia magna	48H EC50	1.4	mg/l

### 12.2. Persistence and degradability

Persistence and degradability: Not readily biodegradable. The lack of a suitable leaving group renders paraffin and hydrocarbon waxes resistant to hydrolysis. As such, they have a very low potential to hydrolyze. Therefore, this degradative process will not contribute to their removal from the environment.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Insoluble in water.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

## Section 13: Disposal considerations

13.1. Waste treatment methods				
<b>-</b>				
Disposal operations:	Disposal should be in accordance with Local Authority Regulations.			
Disposal of packaging:	Disposal should be in accordance with Local Authority Regulations.			
NB:	The user's attention is drawn to the possible existence of regional or national			
	regulations regarding disposal.			

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

# PAN AROMA SOOTHING LAVENDER WAX BURNER

Section 15: Regulatory information						
	15.1. Safety, health and envir	5.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
	15.2. Chemical Safety Assessment					
Section 16: Other information						
	Other information					
	Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No				
		2015/830.				
		* indicates text in the SDS which has changed since the last revision.				
	Phrases used in s.2 and s.3:	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>				
		H302: Harmful if swallowed.				
		H315: Causes skin irritation.				
		H317: May cause an allergic skin reaction.				
		H319: Causes serious eye irritation.				
		H371: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> <state route<="" th=""></state></or>				
		of exposure if it is conclusively proven that no other routes of exposure cause the				
		hazard>.				
		H411: Toxic to aquatic life with long lasting effects.				
		H412: Harmful to aquatic life with long lasting effects.				
	Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive				
		and shall be used only as a guide. This company shall not be held liable for any				
		damage resulting from handling or from contact with the above product.				