



## SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 1

Compilation date: 12/05/2014

Revision date: 19/11/2021

Revision No: 4

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name:** \* PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

**Product code:** PAN0200

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** SU 21 - Consumer Uses.

PC3: Air care products.

#### 1.3. Details of the supplier of the safety data sheet

**Company name:** 151 Products (Ireland) Ltd

Block 3

Harcourt Centre, Harcourt Road

Dublin

DO2A339

Ireland

**Tel:** +(44) 839 5949

**Email:** technical@151products.com

#### 1.4. Emergency telephone number

**Emergency tel:** +44 (0) 839 5949

+353 (0) 18092166 National Poison Centre -Ireland

(office hours only)

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification under CLP:** Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315; -: EUH208

**Most important adverse effects:** Contains linalyl acetate. May produce an allergic reaction. Causes skin irritation.

Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

**Label elements:**

**UFI:** UM30-40HG-3005-MD6U

**Hazard statements:** EUH208: Contains linalyl acetate. May produce an allergic reaction.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

**Hazard pictograms:** GHS07: Exclamation mark

[cont...]

# SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 2



**Signal words:** Warning

**Precautionary statements:** P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents and container to Local Authority Regulations.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

##### DIPROPYLENE GLYCOL MONOMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	70-90%

##### LINALYL ACETATE

204-116-4	115-95-7	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317	1-10%
-----------	----------	---	--	-------

##### LINALOOL

201-134-4	78-70-6	-	Skin Sens. 1B: H317	1-10%
-----------	---------	---	---------------------	-------

##### 2,6-DIMETHYLOCT-7-EN-2-OL

242-362-4	18479-58-8	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-10%
-----------	------------	---	---	-------

##### 3,7-DIMETHYL-3-OCTANOL

201-133-9	78-69-3	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-10%
-----------	---------	---	---	-------

##### CAMPHOR

200-945-0	76-22-2	-	Flam. Sol. 2: H228; Acute Tox. 4: H302; STOT SE 2: H371; Acute Tox. 4: H332	1-10%
-----------	---------	---	---	-------

##### ISOBORNYL ACETATE

204-727-6	125-12-2	-	-	1-10%
-----------	----------	---	---	-------

[cont...]

## SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 3

### D-LIMONENE

227-813-5	5989-27-5	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%
-----------	-----------	---	---	-----

### EUCALYPTOL

207-431-5	470-82-6	-	Flam. Liq. 3: H226; Skin Sens. 1B: H317	<1%
-----------	----------	---	---	-----

### COUMARIN

202-086-7	91-64-5	-	Acute Tox. 4: H302; Skin Sens. 1: H317; Aquatic Chronic 3: H412	<1%
-----------	---------	---	---	-----

### TETRAMETHYL ACETYLOCTAHYDRONAPHTHALE

259-174-3	54464-57-2	-	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411	<1%
-----------	------------	---	--	-----

### PINENE BETA

204-872-5	127-91-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317; Asp. Tox. 1: H304	<1%
-----------	----------	---	---	-----

### P-METHYLANISOLE

203-253-7	104-93-8	-	Flam. Liq. 3: H226; Acute Tox. 4: H302; Skin Irrit. 2: H315; Repr. 2: H361d; Aquatic Chronic 3: H412	<1%
-----------	----------	---	--	-----

### ALPHA CEDRENE

207-418-4	469-61-4	-	Asp. Tox. 1: H304; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%
-----------	----------	---	---	-----

### PINENE ALPHA

201-291-9	80-56-8	-	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 1: H410; Skin Sens. 1: H317; Skin Irrit. 2: H315	<1%
-----------	---------	---	---	-----

**Contains:** Contains allergens >0.01%.

Benzyl alcohol  
Benzyl benzoate  
Citral  
Citronellol  
Coumarin  
Eugenol  
Geraniol  
Hydroxycitronellal  
d-Limonene  
Linalool

[cont...]

# SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 4

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** If irritation or other symptoms develop and persist cease using this product.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Not applicable.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

[cont...]

# SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 5

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Ensure there is sufficient ventilation of the area.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. KEEP OUT OF THE REACH OF CHILDREN.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

**DIPROPYLENE GLYCOL MONOMETHYL ETHER**

**Workplace exposure limits:**

**Respirable dust:**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	308mg/m <sup>3</sup>	-	-	-

**CAMPHOR**

UK	13mg/m <sup>3</sup>	19mg/m <sup>3</sup>	-	-
----	---------------------	---------------------	---	---

### DNEL/PNEC Values

**Hazardous ingredients:**

**DIPROPYLENE GLYCOL MONOMETHYL ETHER**

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	19mg/l	-	-
PNEC	Marine water	1.9mg/l	-	-
PNEC	Fresh water sediments	70.2 mg/kg	-	-
PNEC	Marine sediments	7.02 mg/kg	-	-
PNEC	Soil	2.74mg/kg	-	-
DNEL	Inhalation	308 mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal	283 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	37.2 mg/m <sup>3</sup>	General Population	Systemic
DNEL	Dermal	121 mg/kg bw/day	General Population	Systemic

[cont...]

## SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 6

### LINALYL ACETATE

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (Long term)	2.75mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal (Long term)	2.5mg/kg	Workers	Systemic
DNEL	Dermal (Long term)	236µg/cm <sup>2</sup>	Workers	Local
DNEL	Inhalation (Long term)	0.68mg/m <sup>3</sup>	General Population	Systemic
DNEL	Dermal (Long term)	1.25mg/kg bw	General Population	Systemic
DNEL	Dermal (Long term)	236µg/cm <sup>2</sup>	General Population	Local
DNEL	Oral (Long term)	0.2mg/kg bw	General Population	Systemic
PNEC	Fresh water	0.011mg/L	-	-
PNEC	Fresh water sediments	0.609 mg/kg sediment	-	-
PNEC	Marine water	0.001mg/L	-	-
PNEC	Marine sediments	0.061 mg/kg sediment	-	-
PNEC	Soil	0.115 mg/kg soil	-	-

### LINALOOL

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	0.2mg/L	-	-
PNEC	Fresh water sediments	2.22mg/kg sediment	-	-
PNEC	Marine water	0.02mg/L	-	-
PNEC	Marine sediments	0.222mg/kg sediment	-	-
PNEC	Soil	0.327mg/kg soil	-	-
PNEC	Food chain	7.8mg/kg food	-	-
DNEL	Inhalation	2.8mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal	2.5mg/kg bw	Workers	Systemic
DNEL	Dermal	3mg/cm <sup>2</sup>	Workers	Local
DNEL	Inhalation	0.7mg/m <sup>3</sup>	General Population	Systemic
DNEL	Dermal	1.25mg/kg bw	General Population	Systemic
DNEL	Dermal	1.5mg/cm <sup>2</sup>	General Population	Local
DNEL	Oral	0.2mg/kg bw	General Population	Systemic

### 2,6-DIMETHYLOCT-7-EN-2-OL

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	73.5mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal	20.8mg/kg bw	Workers	Systemic
DNEL	Inhalation	21.7mg/m <sup>3</sup>	General Population	Systemic

[cont...]

## SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 7

DNEL	Dermal	12.5mg/kg bw	General Population	Systemic
DNEL	Oral	12.5mg/kg bw	General Population	Systemic
PNEC	Fresh water	27.8µg/L	-	-
PNEC	Fresh water sediments	0.594mg/kg sediment	-	-
PNEC	Marine water	2.78µg/L	-	-
PNEC	Marine sediments	0.059mg/kg sediment	-	-
PNEC	STP	10mg/L	-	-
PNEC	Soil	0.103mg/kg	-	-
PNEC	Food chain	111mg/kg food	-	-

### CAMPHOR

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (repeated dose)	17.632mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal (repeated dose)	10mg/kg bw	Workers	Systemic
DNEL	Inhalation (repeated dose)	4.348mg/m <sup>3</sup>	General Population	Systemic
DNEL	Dermal (repeated dose)	5mg/kg bw	General Population	Systemic
DNEL	Oral (repeated dose)	5mg/kg bw	General Population	Systemic
PNEC	Fresh water	1.71µg/L	-	-
PNEC	Fresh water sediments	0.139mg/kg sediment	-	-
PNEC	Marine water	0.171µg/L	-	-
PNEC	Marine sediments	0.017mg/kg sediment	-	-
PNEC	Microorganisms in sewage treatment	1mg/L	-	-
PNEC	Soil	0.013mg/kg soil	-	-

### ISOBORNYL ACETATE

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (repeated dose)	13.22mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal (repeated dose)	1.15mg/kg bw	Workers	Systemic
DNEL	Dermal	0.3mg/kg bw	Workers	Systemic
DNEL	Inhalation (repeated dose)	13.04mg/m <sup>3</sup>	General Population	Systemic
DNEL	Inhalation (repeated dose)	0.075mg/kg bw	General Population	Systemic
DNEL	Oral (repeated dose)	0.075mg/kg bw	General Population	Systemic
PNEC	Fresh water	1.31µg/L	-	-
PNEC	Fresh water sediments	13.07µg/kg sediment	-	-

[cont...]

## SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 8

PNEC	Marine water	0.131µg/L	-	-
PNEC	Marine sediments	1.307µg/kg sediment	-	-
PNEC	Microorganisms in sewage treatment	2mg/L	-	-
PNEC	Soil	5.77µg/kg soil	-	-

### EUCALYPTOL

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	7.05mg/m <sup>3</sup>	Workers	Systemic (long Term)
DNEL	Dermal	2mg/kg bw/d	Workers	Systemic (long Term)
DNEL	Inhalation	1.74mg/m <sup>3</sup>	General Population	Systemic (long Term)
DNEL	Dermal	1mg/kg bw/day	General Population	Systemic (long Term)
DNEL	Oral	600mg/kg bw/day	General Population	Systemic (long Term)
PNEC	Fresh water	57 µg/L	-	-
PNEC	Fresh water sediments	1.425mg/kg	-	-
PNEC	Marine water	5.7 µg/L	-	-
PNEC	Fresh water sediments	0.14mg/kg	-	-
PNEC	Soil	0.25mg/kg dw	-	-

### COUMARIN

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	19µg/L	-	-
PNEC	Fresh water sediments	0.15mg/kg	-	-
PNEC	Marine water	1.9µg/L	-	-
PNEC	Marine sediments	0.015mg/kg	-	-
PNEC	Soil	0.018mg/kg	-	-
PNEC	Oral	30.7mg/kg	-	-
DNEL	Inhalation	6.78mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal	0.79mg/kgbw	Workers	Systemic
DNEL	Inhalation	1.69mg/m <sup>3</sup>	General Population	Systemic
DNEL	Dermal	0.39mg/kgbw	General Population	Systemic
DNEL	Oral	0.39mg/kgbw	General Population	Systemic

### P-METHYLANISOLE

Type	Exposure	Value	Population	Effect
------	----------	-------	------------	--------

[cont...]



## SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 9

DNEL	Inhalation (Long term)	2.9mg/m <sup>3</sup>	Workers	Systemic
DNEL	Dermal (Long term)	13.9mg/kg bw	Workers	Systemic
DNEL	Inhalation (Long term)	0.7mg/m <sup>3</sup>	General Population	Systemic
DNEL	Dermal (Long term)	8.3mg/kg bw	General Population	Systemic
DNEL	Oral (Long term)	0.4mg/kg bw	General Population	Systemic
PNEC	Fresh water	0.027mg/L	-	-
PNEC	Fresh water sediments	0.862mg/kg sediment	-	-
PNEC	Marine water	0.003mg/L	-	-
PNEC	Marine sediments	0.086mg/kg sediment	-	-
PNEC	Microorganisms in sewage treatment	10mg/L	-	-
PNEC	Soil	0.156mg/kg soil	-	-

### PINENE ALPHA

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (Long term)	5.98 mg/m <sup>3</sup>	Workers	Systemic (ILong Term Exposure)
DNEL	Dermal (Long term)	161 µg/cm <sup>2</sup>	Workers	Local (Acute Exposure)
DNEL	Inhalation (Long term)	1.06 mg/m <sup>3</sup>	General Population	Systemic (ILong Term Exposure)
DNEL	Dermal (Long term)	81 µg/cm <sup>2</sup>	General Population	Systemic (ILong Term Exposure)
DNEL	Oral (Long term)	0.31 mg/kg bw/day	General Population	Systemic (ILong Term Exposure)
PNEC	Fresh water	4 µg/L	-	-
PNEC	Fresh water sediments	1.033 mg/kg sediment	-	-
PNEC	Marine water	0.4 µg/L	-	-
PNEC	Marine sediments	0.103 mg/kg sediment	-	-
PNEC	Soil	0.539 mg/kg soil dw	-	-

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** No special requirements under normal conditions of use.

**Skin protection:** No special requirements under normal conditions of use.

[cont...]

# SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 10

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Pale purple

**Odour:** Pleasant

**Flash point°C:** 60 - 93

### 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

#### DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	>20000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	7H LC0	>275	ppm

[cont...]

## SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 11

### LINALYL ACETATE

DERMAL	RBT	LD50	>5000	mg/kg
IP	MUS	LD50	720	mg/kg
ORAL	RAT	LD50	>9	g/kg

### LINALOOL

DERMAL	RBT	LD50	5610	mg/kg
ORAL	MUS	LD50	2200	mg/kg
ORAL	RAT	LD50	2790	mg/kg
VAPOURS	MUS	LC50	>3.2	mg/l

### 2,6-DIMETHYLOCT-7-EN-2-OL

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	4.1	g/kg

### 3,7-DIMETHYL-3-OCTANOL

ORAL	MUS	LD50	4500	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

### CAMPHOR

DERMAL	RAT	LD50	>2000	mg/kg
DUST/MIST	RAT	LC50	500	mg/m <sup>3</sup>
ORAL	MUS	LD50	1310	mg/kg

### ISOBORNYL ACETATE

DERMAL	RBT	LD50	>20	g/kg
ORAL	MUS	LD50	9	g/kg

### D-LIMONENE

ORL	MUS	LD50	5600	mg/kg
ORL	RAT	LD50	4400	mg/kg
SCU	MUS	LD50	3170	mg/kg

### EUCALYPTOL

DERMAL	RAT	LD50 (Read Across)	>2	g/kg
ORAL	RAT	LD50	2480	mg/kg

[cont...]

## SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 12

### COUMARIN

ORAL	RAT	LD50	640	mg/kg
------	-----	------	-----	-------

### PINENE BETA

DERMAL (Read across)	RABBIT	LD50	>2500	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

### P-METHYLANISOLE

DERMAL	RBT	LD50	>4850	mg/kg
ORAL	RAT	LD50	1920	mg/kg
VAPOURS	RAT	4H LC50	>6.1	mg/l

### PINENE ALPHA

DERMAL	RABBIT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

#### Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

#### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

#### Section 12: Ecological information

##### 12.1. Toxicity

#### Hazardous ingredients:

##### DIPROPYLENE GLYCOL MONOMETHYL ETHER

BROWN SHRIMP (Crangon crangon)	96H LC50	>10000	mg/l
Daphnia magna	48H EC50	1919	mg/l
FATHEAD MINNOW (Pimephales promelas).	96H LC50	>10000	mg/l

[cont...]

## SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 13

### LINALYL ACETATE

Cyprinus carpio	96H LC50	11	mg/l
Daphnia magna	48H EC50	15	mg/l
Scenedesmus Subspicatus	72H ErC50	62	mg/l

### LINALOOL

Daphnia magna	48H EC50	59	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	27.8	mg/l

### 2,6-DIMETHYLOCT-7-EN-2-OL

ALGAE	72H ErC50	80	mg/l
Daphnia magna	48H EC50	38	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50(Read across)	27.8	mg/l

### 3,7-DIMETHYL-3-OCTANOL

Daphnia magna	48H EC50	14.2	mg/l
Daphnia magna	48H NOEC	8.2	mg/l
Desmodesmus subspicatus	72H ErC50	21.6	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	8.9	mg/l

### CAMPHOR

(Q)SAR	48H LC50	9.3	mg/l
Activated sludge	3H EC50	>100	mg/l
FATHEAD MINNOW (Pimephales promelas)	96H LC50	110	mg/l

### ISOBORNYL ACETATE

Daphnia magna (QSAR)	48H EC50	3.5	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	15	mg/l

### EUCALYPTOL

Daphnia magna	48H EC50	100	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	57	mg/l

### COUMARIN

(Q)SAR	30d NOEC	0.191	mg/l
(Q)SAR	96H LC50	2.94	mg/l

[cont...]

# SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 14

## PINENE BETA

CARP (Ciprinus carpio)	96H LC50	> Limit of solubilit	-
------------------------	----------	----------------------	---

## P-METHYLANISOLE

ALGAE (Desmodesmus subspicatus)	96H ErC50	>500	mg/l
DAPHNIA (Daphnia magna)	48H EC50	27	mg/l
IDE (Leuciscus idus)	96H LC50	68	mg/l

## PINENE ALPHA

Daphnia magna	48H LC50	41	mg/l
Fat Head Minnow	96H LC50	0.28	mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** No data available.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No data available.

### 12.4. Mobility in soil

**Mobility:** Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** Harmful to aquatic organisms. Harmful to soil organisms.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** Disposal should be in accordance with local authority regulations.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** A REACH registration number is not applicable as this product is a mixture.

[cont...]

## SAFETY DATA SHEET

PAN AROMA PLUG IN AIR FRESHENER SOOTHING LAVENDER

Page: 15

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### Section 16: Other information

#### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH208: Contains linalyl acetate. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H228: Flammable solid.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H361d: Suspected of damaging the unborn child.

H371: May cause damage to organs ([lungs]) ([inhalation (vapour)]).

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.