

PAN AROMA DOME REED DIFFUSER (50ML) - WILD BERRIES

Page: 1

Compilation date: 10/08/2016

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PAN AROMA DOME REED DIFFUSER (50ML) - WILD BERRIES

Product code: PAN0278

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SU 21 - Consumer Uses. PC3: Air care products.

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited

The Old School House

39 Bengal Street

Manchester

M4 6AF

UK

Tel: 0161 839 5949

Fax: 0161 839 5493

Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Sens. 1: H317; Aquatic Chronic 3: H412; -: EUH208

Most important adverse effects: Contains ethyl 3-methyl-3-phenylglycidate, d-limonene, hexyl cinnamal. May produce an

allergic reaction. May cause an allergic skin reaction. Harmful to aquatic life with long

lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains ethyl 3-methyl-3-phenylglycidate, d-limonene, hexyl cinnamal. May

produce an allergic reaction.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

PAN AROMA DOME REED DIFFUSER (50ML) - WILD BERRIES

Page: 2

Precautionary statements: P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

P333+313: If skin irritation or rash occurs: Get medical attention.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P101: If medical advice is needed, have product container or label at hand.

P273: Avoid release to the environment.

P501: Dispose of contents & container to Local authority regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	50-75%
ETHANOL				
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	3-5%
LINALYL ACE	TATE			
204-116-4	115-95-7	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	1-3%
TETRAMETH'	YL ACETYLOCT	AHYDRONAPHTHALE		
259-174-3	54464-57-2	-	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411	1-3%
1,3,4,6,7,8-HE	EXAHYDRO-4,6,6	5,7,8,8-HEXAMETHYLINDENO[5,6-	CJPYRAN	
214-946-9	1222-05-5	-	Aquatic Chronic 1: H410; Aquatic Acute 1: H400	<1%
D-LIMONENE				
227-813-5	5989-27-5	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%
BENZYL SALI	ICYLATE			
204-262-9	118-58-1	-	STOT SE 2: H371; Eye Irrit. 2: H319; Skin Sens. 1: H317	<1%

PAN AROMA DOME REED DIFFUSER (50ML) - WILD BERRIES

Page: 3

M	N/	Н	CA
IVI	IV	 	,,,

214-881-6	1205-17-0	-	Skin Sens. 1B: H317; Aquatic Chronic 2: H411	<1%
(Z)-3-HEXENI	YSALICYLATE			
265-745-8	65405-77-8	-	Aquatic Chronic 1: H410	<1%
HELIOTROPI	NE			
204-409-7	120-57-0	-	Skin Sens. 1B: H317	<1%
7-HYDROXYO	CITRONELLAL			
203-518-7	107-75-5	-	Eye Irrit. 2: H319; Skin Sens. 1: H317	<1%

Contains: Contains the following allergens >0.01%:

Alpha-Isomethyl ionone

Benzyl benzoate

Citral

d-Limonene Geraniol

Hexyl cinnamal

Linalool

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

PAN AROMA DOME REED DIFFUSER (50ML) - WILD BERRIES

Page: 4

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Should be kept in original packaging

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Workplace exposure limits: Respirable dust

	State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
--	-------	------------	--------------	------------	--------------

PAN AROMA DOME REED DIFFUSER (50ML) - WILD BERRIES

Page: 5

UK	308mg/m3	-	-	-
ETHANOL				
UK	1920 mg/m3	-	-	-

DNEL/PNEC Values

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	19mg/l	-	-
PNEC	Marine water	1.9mg/l	-	-
PNEC	Fresh water sediments	70.2 mg/kg	-	-
PNEC	Marine sediments	7.02 mg/kg	-	-
PNEC	Soil	2.74mg/kg	-	-
DNEL	Inhalation	308 mg/m ³	Workers	Systemic
DNEL	Dermal	283 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	37.2 mg/m ³	General Population	Systemic
DNEL	Dermal	121 mg/kg bw/day	General Population	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: No special requirements under normal conditions of use.

Hand protection: Protective gloves.

Eye protection: No special requirements under normal conditions of use. **Skin protection:** No special requirements under normal conditions of use.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Odour: Pleasant

Solubility in water: Insoluble

Flash point°C: 60 - 93

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

PAN AROMA DOME REED DIFFUSER (50ML) - WILD BERRIES

Page: 6

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	>20000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	7H LC0	>275	ppm

ETHANOL

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

LINALYL ACETATE

DERMAL	RBT	LD50	>5000	mg/kg
IP	MUS	LD50	800	uL/kg
ORAL	RAT	LD50	>9	g/kg

D-LIMONENE

ORL	MUS	LD50	5600	mg/kg
ORL	RAT	LD50	4400	mg/kg
SCU	MUS	LD50	3170	mg/kg

PAN AROMA DOME REED DIFFUSER (50ML) - WILD BERRIES

Page: 7

BENZYL SALICYLATE

DERMAL	RBT	LD50	14.1	g/kg
ORAL	RAT	LD50	2227	mg/kg

(Z)-3-HEXENLYSALICYLATE

DERMAL	RABBIT	LD50	>5000	mg/kg
ORAL	RAT	LD50	5000	mg/kg

HELIOTROPINE

DERMAL	RAT	LD50	5000	mg/kg
ORAL	RAT	LD50	2700	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

BROWN SHRIMP (Crangon crangon)	96H LC50	>10000	mg/l
Daphnia magna	48H EC50	1919	mg/l
FATHEAD MINNOW (Pimephales promelas).	96H LC50	>10000	mg/l

LINALYL ACETATE

Cyprinus carpio	96H LC50	11	mg/l
Daphnia magna	48H EC50	15	mg/l
Scenedesmus Subspicatus	72H ErC50	62	mg/l

BENZYL SALICYLATE

GREEN ALGA (Selenastrum capricornutum)	72H ErC50	1.29	mg/l

PAN AROMA DOME REED DIFFUSER (50ML) - WILD BERRIES

Page: 8

ZEBRAFISH (Brachydanio rerio)	96H LC50	1.03	mg/l
(7) 2 HEVENI VOALIOVI ATE			

(Z)-3-HEXENLYSALICYLATE

DAPHNIA	48H EC50	3.7	mg/l
KILLIFISH	48H LC50	3.8	mg/l

HELIOTROPINE

CARP (Cyprinus carpio)	96H LC50	2.5	mg/l

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with Local Authority Regulations. **Disposal of packaging:** Disposal should be in accordance with Local Authority Regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: A REACH registration number is not applicable as this product is a mixture.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

PAN AROMA DOME REED DIFFUSER (50ML) - WILD BERRIES

Page: 9

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H371: May cause damage to organs <or state all organs affected, if known> <state route

of exposure if it is conclusively proven that no other routes of exposure cause the

hazard>.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.