



SAFETY DATA SHEET
PAN AROMA GEL AIR FRESHENER - LEMON

Page: 1

Compilation date: 03/10/2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PAN AROMA GEL AIR FRESHENER - LEMON

Product code: PAN0422

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SU 21 - Consumer Uses. PC3: Air care products.

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited

The Old School House

39 Bengal Street

Manchester

M4 6AF

UK

Tel: 0161 839 5949

Fax: 0161 839 5493

Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; -: EUH208

Most important adverse effects: Contains citral, dipentene, linalool. May produce an allergic reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains citral, dipentene, linalool. May produce an allergic reaction.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements: P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P501: Dispose of contents/container to Local authority regulations.

SAFETY DATA SHEET
PAN AROMA GEL AIR FRESHENER - LEMON

Page: 2

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	1-3%

CITRAL

226-394-6	5392-40-5	-	Skin Irrit. 2: H315; Skin Sens. 1: H317	<1%
-----------	-----------	---	---	-----

DIPENTENE

205-341-0	138-86-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%
-----------	----------	---	---	-----

LINALOOL

201-134-4	78-70-6	-	Skin Sens. 1B: H317	<1%
-----------	---------	---	---------------------	-----

Contains: Contains the following allergens >0.01%:

Citral
d-Limonene
Linalool

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the nose and upper respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

[cont...]

SAFETY DATA SHEET
PAN AROMA GEL AIR FRESHENER - LEMON

Page: 3

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: This product is not combustible, however, combustion of the packaging will generate toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

[cont...]

SAFETY DATA SHEET

PAN AROMA GEL AIR FRESHENER - LEMON

Page: 4

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	308mg/m ³	-	-	-

DNEL/PNEC Values

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	19mg/l	-	-
PNEC	Marine water	1.9mg/l	-	-
PNEC	Fresh water sediments	70.2 mg/kg	-	-
PNEC	Marine sediments	7.02 mg/kg	-	-
PNEC	Soil	2.74mg/kg	-	-
DNEL	Inhalation	308 mg/m ³	Workers	Systemic
DNEL	Dermal	283 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	37.2 mg/m ³	General Population	Systemic
DNEL	Dermal	121 mg/kg bw/day	General Population	Systemic

CITRAL

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	9mg/m ³	Workers	Systemic
DNEL	Dermal	1.7mg/kg	Workers	Systemic
DNEL	Inhalation	2.7mg/m ³	General Population	Systemic
DNEL	Dermal	1mg/kg	General Population	Systemic
DNEL	Dermal	140µg/cm ²	General Population	Local
DNEL	Oral	0.6mg/kg	General Population	Systemic
PNEC	Fresh water	0.007mg/L	-	-
PNEC	Fresh water sediments	0.125mg/kg	-	-
PNEC	Marine water	0.001 mg/L	-	-
PNEC	Marine sediments	0.013mg/kg	-	-
PNEC	Soil	0.021mg/kg	-	-
PNEC	STP	1.6mg/L	-	-

LINALOOL

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	0.2mg/L	-	-

[cont...]

SAFETY DATA SHEET
PAN AROMA GEL AIR FRESHENER - LEMON

Page: 5

PNEC	Fresh water sediments	2.22mg/kg sediment	-	-
PNEC	Marine water	0.02mg/L	-	-
PNEC	Marine sediments	0.222mg/kg sediment	-	-
PNEC	Soil	0.327mg/kg soil	-	-
PNEC	Food chain	7.8mg/kg food	-	-
DNEL	Inhalation	2.8mg/m ³	Workers	Systemic
DNEL	Dermal	2.5mg/kg bw	Workers	Systemic
DNEL	Dermal	3mg/cm ²	Workers	Local
DNEL	Inhalation	0.7mg/m ³	General Population	Systemic
DNEL	Dermal	1.25mg/kg bw	General Population	Systemic
DNEL	Dermal	1.5mg/cm ²	General Population	Local
DNEL	Oral	0.2mg/kg bw	General Population	Systemic

8.2. Exposure controls

Engineering measures: Not applicable.

Respiratory protection: Not applicable.

Hand protection: Not applicable.

Eye protection: Not applicable.

Skin protection: Not applicable.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid

Odour: Characteristic odour

Solubility in water: Miscible

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

SAFETY DATA SHEET
PAN AROMA GEL AIR FRESHENER - LEMON

Page: 6

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	>20000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	7H LC0	>275	ppm

CITRAL

IPR	RAT	LD50	460	mg/kg
ORL	MUS	LD50	6	g/kg
ORL	RAT	LD50	4960	mg/kg

DIPENTENE

IVN	MUS	LD50	1010	µl/kg
ORL	MUS	LD50	5550	µl/kg
ORL	RAT	LD50	5300	mg/kg

LINALOOL

DERMAL	RBT	LD50	5610	mg/kg
ORAL	MUS	LD50	2200	mg/kg
ORAL	RAT	LD50	2790	mg/kg
VAPOURS	MUS	LC50	>3.2	mg/l

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the nose and upper respiratory tract.

[cont...]

SAFETY DATA SHEET
PAN AROMA GEL AIR FRESHENER - LEMON

Page: 7

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

BROWN SHRIMP (<i>Crangon crangon</i>)	96H LC50	>10000	mg/l
Daphnia magna	48H EC50	1919	mg/l
FATHEAD MINNOW (<i>Pimephales promelas</i>).	96H LC50	>10000	mg/l

CITRAL

Daphnia magna	48H EC50	6.8	mg/l
FRESHWATER FISH	96H LC50	6.78	mg/l
Scenedesmus Subspicatus	72H ErC50	103.8	mg/l

LINALOOL

Daphnia magna	48H EC50	59	mg/l
RAINBOW TROUT (<i>Oncorhynchus mykiss</i>)	96H LC50	27.8	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with Local Authority Regulations.

Disposal of packaging: Disposal should be in accordance with Local Authority Regulations.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

[cont...]

SAFETY DATA SHEET
PAN AROMA GEL AIR FRESHENER - LEMON

Page: 8

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.