

SLUSH PUPPIE CARD AIR FRESHENER - CHERRY

Page: 1

Compilation date: 12/04/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SLUSH PUPPIE CARD AIR FRESHENER - CHERRY

Product code: SLP0002

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC3: Air care products. SU 21 - Consumer Uses.

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited

The Old School House 39 Bengal Street Manchester M4 6AF UK Tel: 0161 839 5949 Fax: 0161 839 5493 Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Emergency tel: 0161 839 5949 (08:00 - 17:30)

(office hours only)

Section 2: Hazards identification

2.1. Classification of the subs	stance or mixture	
Classification under CLP:	Aquatic Chronic 3: H412; -: EUH208	
Most important adverse effects: Contains ethyl 3-methyl-3-phenylglycidate, 4-tertiary-butylcyclohexylacet		
	isomethyl ionone, cinnamal, 2,4-dimethyl-3-cyclohexenecarboxaldehyde. May produce	
	an allergic reaction. Harmful to aquatic life with long lasting effects.	
2.2. Label elements		
Label elements:		
Hazard statements:	EUH208: Contains ethyl 3-methyl-3-phenylglycidate, 4-tertiary-butylcyclohexylacetate,	
	alpha-isomethyl ionone, cinnamal, 2,4-dimethyl-3-cyclohexenecarboxaldehyde. May	
produce an allergic reaction.		
	H412: Harmful to aquatic life with long lasting effects.	
Precautionary statements:	P102: Keep out of reach of children.	
	P264: Wash hands thoroughly after handling.	
	P273: Avoid release to the environment.	
	P501: Dispose of contents/container to Local authority regulations.	[cont]

SLUSH PUPPIE CARD AIR FRESHENER - CHERRY

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	50-75%
ALKANS C11-	C13 -ISO			
920-901-0	64742-48-9	-	Asp. Tox. 1: H304; -: EUH066	10-25%
BENZALDEHY	/DE			
202-860-4	100-52-7	-	Acute Tox. 4: H302	1-3%
BENZYL ACE	TATE			
205-399-7	140-11-4	-	Aquatic Chronic 3: H412	1-3%
ETHYL 3-MET	HYL-3-PHENYL	GLYCIDATE		
201-061-8	77-83-8	-	Skin Sens. 1B: H317; Aquatic Chronic 2: H411	<1%
4-TERTIARY-E	BUTYLCYCLOH	EXYLACETATE		
250-954-9	32210-23-4	-	Skin Sens. 1B: H317	<1%
ALPHA-ISOME	ETHYL IONONE			
204-846-3	127-51-5	-	Skin Irrit. 2: H315; Aquatic Chronic 2: H411; Skin Sens. 1B: H317; Eye Irrit. 2: H319	<1%
CINNAMAL				
203-213-9	104-55-2	-	Skin Sens. 1: H317; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Acute Tox. 4: H312	<1%
2,4-DIMETHYI	-3-CYCLOHEXI	ENECARBOXALDEHYDE		
268-264-1	68039-49-6	-	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412	<1%
1,3,4,6,7,8-HE	XAHYDRO-4,6,6	6,7,8,8-HEXAMETHYLINDENO[5,6-	C]PYRAN	
214-946-9	1222-05-5	-	Aquatic Chronic 1: H410; Aquatic Acute 1: H400	<1%

SLUSH PUPPIE CARD AIR FRESHENER - CHERRY

Page: 3

	METHYL DEC	ENOL			
	279-815-0	81782-77-6	-	Aquatic Acute 1: H400	<1%
		Contains:	Contains the following allergens >0.0	1%:	
			Benzyl benzoate		
			Cinnamal		
			Alpha-Isomethyl ionone		
Sec	tion 4 [.] First	aid measures			
4.	1. Description	n of first aid m	easures		
		Skin contact:	Wash immediately with plenty of soap	and water.	
		Eye contact:	Bathe the eye with running water for 1	15 minutes.	
		Ingestion:	Wash out mouth with water. Do not in	duce vomiting.	
		Inhalation:	Move to fresh air in case of accidenta	l inhalation of vapours.	
4	.2. Most impo	rtant symptom	is and effects, both acute and delaye	ed	
		Skin contact:	There may be irritation and redness a	t the site of contact.	
		Eye contact:	There may be irritation and redness.	The eyes may water profusely.	
		Ingestion:	There may be soreness and redness	of the mouth and throat.	
		Inhalation:	There may be irritation of the nose an	d upper respiratory tract.	
4	.3. Indication	of any immedi	ate medical attention and special tre	atment needed	
Imn	nediate / spec	ial treatment:	Not applicable.		
Sec	tion 5: Fire-f	ighting meas	sures		
5	.1. Extinguish	ing media			
	Extingui	shing media:	Suitable extinguishing media for the s	urrounding fire should be used. Use water s	prav
	U	0	to cool containers.		1 - 7
5	.2. Special haz	zards arising f	rom the substance or mixture		
			In combustion emits toxic fumes.		
F	.3. Advice for				
<u> </u>					
	Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact				
			with skin and eyes.		
Sec	tion 6: Accid	lental release	e measures		
6	.1. Personal p	recautions, pr	otective equipment and emergency	procedures	
•					
	.2. Environme	ntal precautio	ns		

SLUSH PUPPIE CARD AIR FRESHENER - CHERRY

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	308mg/m3	-	-	-

DNEL/PNEC Values

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Туре	Exposure	Value	Population	Effect
PNEC	Fresh water	19mg/l	-	-
PNEC	Marine water	1.9mg/l	-	-
PNEC	Fresh water sediments	70.2 mg/kg	-	-
PNEC	Marine sediments	7.02 mg/kg	-	-
PNEC	Soil	2.74mg/kg	-	-
DNEL	Inhalation	308 mg/m³	Workers	Systemic
DNEL	Dermal	283 mg/kg bw/day	Workers	Systemic

SLUSH PUPPIE CARD AIR FRESHENER - CHERRY

Page: 5

DNEL	Inhalation	37.2 mg/m ³	General Population	Systemic
DNEL	Dermal	121 mg/kg bw/day	General Population	Systemic

CINNAMAL

Туре	Exposure	Value	Population	Effect
PNEC	Fresh water	1.004mg/L	-	-
PNEC	Fresh water sediments	159.2mg/kg sediment	-	-
PNEC	Marine water	0.1mg/L	-	-
PNEC	Marine sediments	159.2mg/kg sediment	-	-
PNEC	Soil	56.1mg/kg soil dw	-	-
PNEC	STP	13.1mg/L	-	-
DNEL	Inhalation	21.88mg/m ³	Workers	Systemic
DNEL	Dermal	1.56mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	2.61mg/m ³	General Population	Systemic
DNEL	Dermal	0.19mg/kg bw/day	General Population	Systemic
DNEL	Oral	1 250mg/kg bw/day	General Population	Systemic

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:No special requirements under normal conditions of use.Hand protection:No special requirements under normal conditions of use.Eye protection:No special requirements under normal conditions of use.Skin protection:No special requirements under normal conditions of use.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid

Colour: Various

Odour: Characteristic odour

Solubility in water: Miscible

9.2. Other information

Other information: This product is organic material impregnated with fragrance solution.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

SLUSH PUPPIE CARD AIR FRESHENER - CHERRY

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	>20000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	7H LC0	>275	ppm

ALKANS C11- C13 -ISO

DERMAL	RBT	LD50 (Read across)	>3160	mg/kg
ORAL	RAT	LD50 (Read across)	>15	g/kg
VAPOURS	RAT	4H LC50 (Read	4951	mg/m3
		across		

BENZALDEHYDE

ORL	MUS	LD50	28	mg/kg
ORL	RAT	LD50	1300	mg/kg
SCU	RAT	LDLO	5	gm/kg

BENZYL ACETATE

DERMAL	RBT	LD50	>5	g/kg
ORAL	RAT	LD50	>2000	mg/kg
VAPOURS	RAT	LCLo	0.766	mg/l

ETHYL 3-METHYL-3-PHENYLGLYCIDATE

DERMAL RAT LD50	>2000 mg/kg
-----------------	-------------

SLUSH PUPPIE CARD AIR FRESHENER - CHERRY

				Page:
ORAL	RAT	LD50	5470	mg/kg
4-TERTIARY-BUTYLCY	CLOHEXYLACETATE			
DERMAL	НАМ	LD50	>5000	mg/kg
ORAL	RAT	LD50	3370	mg/kg
CINNAMAL				
DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	3350	mg/kg
VAPOURS	QSAR	4H LC50	68.8	mg/l
	RAT	LD50	>2000	mg/kg
METHYL DECENOL	RBT	LD50 Read Across	>5	ml/kg
ORAL	MUS	LD50	>4000	mg/kg
Toxicity valu	es: No data available			
mptoms / routes of exp	oosure			
Skin conta	act: There may be irrit	ation and redness at the site c	of contact.	
Eye conta	act: There may be irrit	ation and redness. The eyes r	nay water profusely.	
Ingesti	on: There may be sor	eness and redness of the mou	ith and throat.	
Inhalati	on: There may be irrit	ation of the nose and upper re	spiratory tract.	
ion 12: Ecological in	formation			
.1. Toxicity				
Hazardous ingredients:				
DIPROPYLENE GLYCO	L MONOMETHYL ETH	IER		
		00111.050	. 10000	

BROWN SHRIMP (Crangon crangon)	96H LC50	>10000	mg/l
Daphnia magna	48H EC50	1919	mg/l
FATHEAD MINNOW (Pimephales promelas).	96H LC50	>10000	mg/l

ALKANS C11- C13 -ISO

Daphnia magna	48H EC50 (Read acros	>1000	mg/l
Pseudokirchnerella subcapitata	72H ErC50	>1000	mg/l

SLUSH PUPPIE CARD AIR FRESHENER - CHERRY

RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50 (Read	>1000	mg/l
	acros		

BENZYL ACETATE

Daphnia magna	48H EC50	17	mg/l
RICE FISH (Oryzias latipes)	96H LC50	4	mg/l

ETHYL 3-METHYL-3-PHENYLGLYCIDATE

RAINBOW TROUT (Oncorhynchus mykiss) 9	96H LC50	4.2	mg/l
---------------------------------------	----------	-----	------

4-TERTIARY-BUTYLCYCLOHEXYLACETATE

COMMON CARP (Cyprinus carpio)	96H LC50	8.6	mg/l
Scenedesmus Subspicatus	72H ErC50	22	mg/l

CINNAMAL

Daphnia magna	24H EC50 (Read acros	3.1	mg/l
GUPPY (Poecilia reticulata)	96H LC50	>3.5	mg/l

METHYL DECENOL

FATHEAD MINNOW (Pimephales promelas) 96H	H LC50 3	mg/l
--	----------	------

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Disposal should be in accordance with Local Authority Regulations.
Disposal of packaging:	Disposal should be in accordance with Local Authority Regulations.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

Page: 8

SLUSH PUPPIE CARD AIR FRESHENER - CHERRY

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.
	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
	H302: Harmful if swallowed.
	H304: May be fatal if swallowed and enters airways.
	H312: Harmful in contact with skin.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	H411: Toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.