

SLUSH PUPPIE CARD AIR FRESHENER - ORANGE

Page: 1

Compilation date: 13/04/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SLUSH PUPPIE CARD AIR FRESHENER - ORANGE

Product code: SLP0002

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC3: Air care products. SU 21 - Consumer Uses.

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited

The Old School House

39 Bengal Street

Manchester

M4 6AF

UK

Tel: 0161 839 5949

Fax: 0161 839 5493

Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Emergency tel: 0161 839 5949 (08:00 - 17:30)

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411; -: EUH208

Most important adverse effects: Contains myrcene, pinene alpha, lauraldehyde, delta 3-carene. May produce an allergic

reaction. Causes skin irritation. May cause an allergic skin reaction. Toxic to aquatic life

with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains myrcene, pinene alpha, lauraldehyde, delta 3-carene. May produce

an allergic reaction.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark

GHS09: Environmental

SLUSH PUPPIE CARD AIR FRESHENER - ORANGE







Signal words: Warning

Precautionary statements: P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling. P273: Avoid release to the environment.

P501: Dispose of contents/container to Local authority regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	50-75%
DIPENTENE				
205-341-0	138-86-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	10-25%
LINALOOL				
201-134-4	78-70-6	-	Skin Sens. 1B: H317	1-3%
MYRCENE				
204-622-5	123-35-3	-	Flam. Liq. 3: H226; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317; Eye Irrit. 2: H319; Asp. Tox. 1: H304	<1%
PINENE ALPH	-HA			
201-291-9	80-56-8	-	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Sens. 1: H317; Skin Irrit. 2: H315	<1%
LAURALDEH'	YDE			
203-983-6	112-54-9	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1B: H317	<1%

Page: 2

SLUSH PUPPIE CARD AIR FRESHENER - ORANGE

Page: 3

DELTA 3-CARENE

236-719-3	13466-78-9	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315;	<1%
			Skin Sens. 1: H317; Asp. Tox. 1: H304	

Contains: Contains the following allergens >0.01%:

Citral Linalool

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes.
Ingestion: Wash out mouth with water. Do not induce vomiting.
Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.Inhalation: There may be irritation of the nose and upper respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

SLUSH PUPPIE CARD AIR FRESHENER - ORANGE

Page: 4

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	308mg/m3	-	-	-

DNEL/PNEC Values

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Туре	Exposure	Value	Population	Effect
PNEC	Fresh water	19mg/l	-	-
PNEC	Marine water	1.9mg/l	-	
PNEC	Fresh water sediments	70.2 mg/kg	-	-
PNEC	Marine sediments	7.02 mg/kg	-	-
PNEC	Soil	2.74mg/kg	-	-
DNEL	Inhalation	308 mg/m ³	Workers	Systemic
DNEL	Dermal	283 mg/kg bw/day	Workers	Systemic

SLUSH PUPPIE CARD AIR FRESHENER - ORANGE

Page: 5

DNEL	Inhalation	37.2 mg/m³	General Population	Systemic
DNEL	Dermal	121 mg/kg bw/day	General Population	Systemic
INALOOL				
Туре	Exposure	Value	Population	Effect
PNEC	Fresh water	0.2mg/L	-	-
PNEC	Fresh water sediments	2.22mg/kg sediment	-	-
PNEC	Marine water	0.02mg/L	-	-
PNEC	Marine sediments	0.222mg/kg sediment	-	-
PNEC	Soil	0.327mg/kg soil	-	-
PNEC	Food chain	7.8mg/kg food	-	-
DNEL	Inhalation	2.8mg/m³	Workers	Systemic
DNEL	Dermal	2.5mg/kg bw	Workers	Systemic
DNEL	Dermal	3mg/cm ²	Workers	Local
DNEL	Inhalation	0.7mg/m³	General Population	Systemic
DNEL	Dermal	1.25mg/kg bw	General Population	Systemic
DNEL	Dermal	1.5mg/cm ²	General Population	Local
DNEL	Oral	0.2mg/kg bw	General Population	Systemic
IYRCENE				
Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	5.83 mg/m³	Workers	Systemic (Long Term exposure)
DNEL	Dermal	0.83 mg/kg bw/day	Workers	Systemic (Long Term exposure)
DNEL	Inhalation	1.25 mg/m³	General Population	Systemic (Long Term exposure)
DNEL	Dermal	0.42 mg/kg bw/day	General Population	Systemic (Long Term exposure)
PNEC	Fresh water	8 μg/L	-	-
PNEC	Fresh water sediments	5.022 mg/kg sediment	-	-
PNEC	Marine water	0.8 μg/L	-	-
PNEC	Marine sediments	0.502 mg/kg sediment	-	-
PNEC	Soil	1.015 mg/kg soil dw	-	
PINENE ALPHA				

SLUSH PUPPIE CARD AIR FRESHENER - ORANGE

Page: 6

DNEL	Inhalation	5.98 mg/m³	Workers	Systemic (ILong Term Exposure)
DNEL	Dermal	161 μg/cm²	Workers	Local (Acute Exposure)
DNEL	Inhalation	1.06 mg/m³	General Population	Systemic (ILong Term Exposure)
DNEL	Dermal	81 μg/cm²	General Population	Systemic (ILong Term Exposure)
DNEL	Oral	0.31 mg/kg bw/day	General Population	Systemic (ILong Term Exposure)
PNEC	Fresh water	4 μg/L	-	-
PNEC	Fresh water sediments	1.033 mg/kg sediment	-	-
PNEC	Marine water	0.4 μg/L	-	-
PNEC	Marine sediments	0.103 mg/kg sediment	-	-
PNEC	Soil	0.539 mg/kg soil dw	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: No special requirements under normal conditions of use.

Hand protection: No special requirements under normal conditions of use.

Eye protection: No special requirements under normal conditions of use.

Skin protection: No special requirements under normal conditions of use.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid
Colour: Various

Odour: Characteristic odour

Solubility in water: Miscible

9.2. Other information

Other information: This product is organic material impregnated with fragrance solution.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

SLUSH PUPPIE CARD AIR FRESHENER - ORANGE

Page: 7

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	>20000	mg/kg	
ORAL	RAT	LD50	>5000	mg/kg	
VAPOURS	RAT	7H LC0	>275	ppm	

DIPENTENE

IVN	MUS	LD50	1010	μl/kg
ORL	MUS	LD50	5550	μl/kg
ORL	RAT	LD50	5300	mg/kg

LINALOOL

DERMAL	RBT	LD50	5610	mg/kg
ORAL	MUS	LD50	2200	mg/kg
ORAL	RAT	LD50	2790	mg/kg
VAPOURS	MUS	LC50	>3.2	mg/l

MYRCENE

DERMAL	RABBIT	LD50	>5	g/kg
ORAL	RAT	LD50	>11	g/kg

PINENE ALPHA

DERMAL RABBIT LD50	>5000	mg/kg
--------------------	-------	-------

SLUSH PUPPIE CARD AIR FRESHENER - ORANGE

Page: 8

ORAL	RAT	LD50	>2000	ma/ka
- · · · · -	1			

LAURALDEHYDE

ORAL	RAT	LD50	23.1	a/ka
OTOTE	1011	LDOO	23.1	9/119

DELTA 3-CARENE

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.Inhalation: There may be irritation of the nose and upper respiratory tract.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

BROWN SHRIMP (Crangon crangon)	96H LC50	>10000	mg/l
Daphnia magna	48H EC50	1919	mg/l
FATHEAD MINNOW (Pimephales promelas).	96H LC50	>10000	mg/l

LINALOOL

Daphnia magna	48H EC50	59	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	27.8	mg/l

MYRCENE

CARP (Cyprinus carpio)	96H LC50	> Limit of solubilit	-

PINENE ALPHA

Daphnia magna	48H LC50	41	mg/l

SLUSH PUPPIE CARD AIR FRESHENER - ORANGE

Page: 9

Fat Head Minnow	96H LC50	0.28	mg/l
-----------------	----------	------	------

LAURALDEHYDE

RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	2.6	ma/l
	00		······································

DELTA 3-CARENE

COMMON CARP (Cyprinus carpio)	96H LC50	>Limit of solubility	-
COMMON CARP (Cyprinus carpio)	NOEC	>Limit of solubility	-

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with Local Authority Regulations. **Disposal of packaging:** Disposal should be in accordance with Local Authority Regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

SLUSH PUPPIE CARD AIR FRESHENER - ORANGE

Page: 10

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.