

SLUSH PUPPIE LIQUID CAR AIR FRESHENER - GREEN APPLE

Page: 1

Compilation date: 05/04/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SLUSH PUPPIE LIQUID CAR AIR FRESHENER - GREEN APPLE

Product code: SLP0003

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC3: Air care products. SU 21 - Consumer Uses.

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited

The Old School House

39 Bengal Street

Manchester

M4 6AF

UK

Tel: 0161 839 5949

Fax: 0161 839 5493

Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Emergency tel: 0161 839 5949 (08:00 - 17:30)

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 2: H411; Skin Sens. 1: H317; -: EUH066; -: EUH208

Most important adverse effects: Repeated exposure may cause skin dryness or cracking. Contains dipentene. May

produce an allergic reaction. May cause an allergic skin reaction. Toxic to aquatic life

with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains dipentene. May produce an allergic reaction.

H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark

GHS09: Environmental





SLUSH PUPPIE LIQUID CAR AIR FRESHENER - GREEN APPLE

Page: 2

Signal words: Warning

Precautionary statements: P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash hands thoroughly after handling. P273: Avoid release to the environment.

P302+352: IF ON SKIN: Wash with plenty of water/soap.

P501: Dispose of contents/container to Local authority regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	25-50%
ALKANS C11-	C13 -ISO			
920-901-0	64742-48-9	-	Asp. Tox. 1: H304; -: EUH066	10-25%
2-T-BUTYLCY	CLOHEXYL ACE	TATE		
201-828-7	88-41-5	-	Aquatic Chronic 2: H411	10-25%
1,3,4,6,7,8-HE	XAHYDRO-4,6,6	,7,8,8-HEXAMETHYLINDENO[5,6-	C]PYRAN	
214-946-9	1222-05-5	-	Aquatic Chronic 1: H410; Aquatic Acute 1: H400	5-10%
GAMMA UND	ECALACTONE			
203-225-4	104-67-6	-	Aquatic Chronic 3: H412	3-5%
DIMETHYLCY	CLOHEXENE CA	ARBOXALDEHYDE		
268-264-1	68039-49-6	-	Skin Irrit. 2: H315; Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1: H317	1-3%
DIPENTENE				
205-341-0	138-86-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%

Contains: Dipentene

Section 4: First aid measures

SLUSH PUPPIE LIQUID CAR AIR FRESHENER - GREEN APPLE

Page: 3

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Get medical attention.

Ingestion: Wash out mouth with water. Do not induce vomiting.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.Inhalation: There may be irritation of the nose and upper respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

SLUSH PUPPIE LIQUID CAR AIR FRESHENER - GREEN APPLE

Page: 4

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	308mg/m3	-	-	-

DNEL/PNEC Values

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	19mg/l	•	-
PNEC	Marine water	1.9mg/l	-	-
PNEC	Fresh water sediments	70.2 mg/kg	-	-
PNEC	Marine sediments	7.02 mg/kg	-	-
PNEC	Soil	2.74mg/kg	-	-
DNEL	Inhalation	308 mg/m ³	Workers	Systemic
DNEL	Dermal	283 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	37.2 mg/m ³	General Population	Systemic
DNEL	Dermal	121 mg/kg bw/day	General Population	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: No special requirements under normal conditions of use. **Hand protection:** No special requirements under normal conditions of use.

Eye protection: No special requirements under normal conditions of use. **Skin protection:** No special requirements under normal conditions of use.

process and opening requirements and an accommission of accommission and accommission accommission accommission and accommission ac

SLUSH PUPPIE LIQUID CAR AIR FRESHENER - GREEN APPLE

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale green

Odour: Characteristic odour

Solubility in water: Insoluble

Flash point°C: 60 - 93

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	>20000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	7H LC0	>275	ppm

SLUSH PUPPIE LIQUID CAR AIR FRESHENER - GREEN APPLE

Page: 6

ALKANS C11- C13-ISO

DERMAL	RBT	LD50 (Read across)	>3160	mg/kg
ORAL	RAT	LD50 (Read across)	>15	g/kg
VAPOURS	RAT	4H LC50 (Read	4951	mg/m3
		across		

GAMMA UNDECALACTONE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

DIPENTENE

IVN	MUS	LD50	1010	μl/kg
ORL	MUS	LD50	5550	μl/kg
ORL	RAT	LD50	5300	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.Inhalation: There may be irritation of the nose and upper respiratory tract.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

BROWN SHRIMP (Crangon crangon)	96H LC50	>10000	mg/l
Daphnia magna	48H EC50	1919	mg/l
FATHEAD MINNOW (Pimephales promelas).	96H LC50	>10000	mg/l

ALKANS C11- C13-ISO

Daphnia magna	48H EC50 (Read acros	>1000	mg/l
Pseudokirchnerella subcapitata	72H ErC50	>1000	mg/l

SLUSH PUPPIE LIQUID CAR AIR FRESHENER - GREEN APPLE

Page: 7

RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50 (Read	>1000	mg/l
	acros		

GAMMA UNDECALACTONE

FISH	96H LC50 ECOSAR	5.5	mg/l
------	-----------------	-----	------

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with Local Authority Regulations. **Disposal of packaging:** Disposal should be in accordance with Local Authority Regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2-T-BUTYLCYCLOHEXYL ACETATE; 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-

HEXAMETHYLINDENO[5,6-C]PYRAN)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

SLUSH PUPPIE LIQUID CAR AIR FRESHENER - GREEN APPLE

Page: 8

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.