



SAFETY DATA SHEET
TANGO LIQUID AIR FRESHENER LEMON

Page: 1

Compilation date: 13/12/2012

Revision date: 28/01/2016

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TANGO LIQUID AIR FRESHENER LEMON

Product code: TG1004

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: SU 21 - Consumer Uses.

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited
The Old School House
39 Bengal Street
Manchester
M4 6AF
UK

Tel: 0161 839 5949

Fax: 0161 839 5493

Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Sens. 1: H317; Aquatic Chronic 2: H411; -: EUH208

Most important adverse effects: Contains citral, pinene beta, 2,4-dimethyl-3-cyclohexenecarboxaldehyde, lauraldehyde, terpinolene, pinene alpha. May produce an allergic reaction. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains citral, pinene beta, 2,4-dimethyl-3-cyclohexenecarboxaldehyde, lauraldehyde, terpinolene, pinene alpha. May produce an allergic reaction.
H317: May cause an allergic skin reaction.
H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark
GHS09: Environmental



[cont...]

SAFETY DATA SHEET
TANGO LIQUID AIR FRESHENER LEMON

Page: 2

Signal words: Warning

Precautionary statements: P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P501: Dispose of contents/container to Local authority regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	25-50%

DIPENTENE

205-341-0	138-86-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	3-5%
-----------	----------	---	---	------

2,6-DIMETHYLOCT-7-EN-2-OL

242-362-4	18479-58-8	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-3%
-----------	------------	---	---	------

CITRAL

226-394-6	5392-40-5	-	Skin Irrit. 2: H315; Skin Sens. 1: H317	<1%
-----------	-----------	---	---	-----

PINENE BETA

204-872-5	127-91-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317; Asp. Tox. 1: H304	<1%
-----------	----------	---	---	-----

2,4-DIMETHYL-3-CYCLOHEXENECARBOXALDEHYDE

268-264-1	68039-49-6	-	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412	<1%
-----------	------------	---	--	-----

LAURALDEHYDE

203-983-6	112-54-9	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; Skin Sens. 1B: H317	<1%
-----------	----------	---	--	-----

[cont...]

SAFETY DATA SHEET
TANGO LIQUID AIR FRESHENER LEMON

Page: 3

TERPINOLENE

209-578-0	586-62-9	-	Aquatic Chronic 1: H410; Skin Sens. 1B: H317; Asp. Tox. 1: H304	<1%
-----------	----------	---	---	-----

PINENE ALPHA

201-291-9	80-56-8	-	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Sens. 1: H317; Skin Irrit. 2: H315	<1%
-----------	---------	---	--	-----

Contains: Contains the following allergens >0.01%:

Citral
Citronellol
Linalool

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Seek medical attention.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the nose and upper respiratory tract.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

[cont...]

SAFETY DATA SHEET
TANGO LIQUID AIR FRESHENER LEMON

Page: 4

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	308mg/m3	-	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: No special requirements under normal conditions of use.

Eye protection: No special requirements under normal conditions of use.

Skin protection: No special requirements under normal conditions of use.

[cont...]

SAFETY DATA SHEET
TANGO LIQUID AIR FRESHENER LEMON

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow

Odour: Pleasant

Flash point°C: 60 - 93

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	5152	mg/kg

DIPENTENE

IVN	MUS	LD50	1010	µl/kg
-----	-----	------	------	-------

[cont...]

SAFETY DATA SHEET
TANGO LIQUID AIR FRESHENER LEMON

Page: 6

ORL	MUS	LD50	5550	µl/kg
ORL	RAT	LD50	5300	mg/kg

2,6-DIMETHYLOCT-7-EN-2-OL

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	3600	mg/kg

CITRAL

IPR	RAT	LD50	460	mg/kg
ORL	MUS	LD50	6	gm/kg
ORL	RAT	LD50	4960	mg/kg

PINENE BETA

DERMAL (Read across)	RABBIT	LD50	>2500	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

2,4-DIMETHYL-3-CYCLOHEXENECARBOXALDEHYDE

ORAL	RAT	LD50	>2000	mg/kg
------	-----	------	-------	-------

LAURALDEHYDE

ORAL	RAT	LD50	23.1	g/kg
------	-----	------	------	------

TERPINOLENE

DERMAL	RABBIT	LD50	4300	mg/kg
ORAL	RAT	LD50	3740	mg/kg

PINENE ALPHA

DERMAL	RABBIT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the nose and upper respiratory tract.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

[cont...]

SAFETY DATA SHEET
TANGO LIQUID AIR FRESHENER LEMON

Page: 7

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Daphnia magna	48H EC50	1919	mg/l
GUPPY (Poecilia reticulata)	96H LC50	>1000	mg/l

2,6-DIMETHYLOCT-7-EN-2-OL

RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50(Read across)	27.8	mg/l
-------------------------------------	-----------------------	------	------

PINENE BETA

CARP (Ciprinus carpio)	96H LC50	> Limit of solubilit	-
------------------------	----------	----------------------	---

LAURALDEHYDE

RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	2.6	mg/l
-------------------------------------	----------	-----	------

TERPINOLENE

Daphnia magna	48H EC50	0.634	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	0.805	mg/l

PINENE ALPHA

Daphnia magna	48H LC50	41	mg/l
Fat Head Minnow	96H LC50	0.28	mg/l

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

[cont...]

SAFETY DATA SHEET
TANGO LIQUID AIR FRESHENER LEMON

Page: 8

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with Local Authority Regulations.

Disposal of packaging: Disposal should be in accordance with Local Authority Regulations.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(DIPENTENE;)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: A REACH registration number is not applicable as this product is a mixture.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

[cont...]

SAFETY DATA SHEET

TANGO LIQUID AIR FRESHENER LEMON

Page: 9

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.