

SLUSH PUPPIE 3D CAR AIR FRESHENER - GREEN APPLE

Page: 1

Compilation date: 13/04/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SLUSH PUPPIE 3D CAR AIR FRESHENER - GREEN APPLE

Product code: SLP0001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC3: Air care products. SU 21 - Consumer Uses.

1.3. Details of the supplier of the safety data sheet

Company name: 151 Products Limited

The Old School House

39 Bengal Street

Manchester

M4 6AF

UK

Tel: 0161 839 5949

Fax: 0161 839 5493

Email: fereshteh@151.co.uk

1.4. Emergency telephone number

Emergency tel: 0161 839 5949 (08:00 - 17:30)

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 2: H411; -: EUH208

Most important adverse effects: Contains dimethylcyclohexene carboxaldehyde, dipentene. May produce an allergic

reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains dimethylcyclohexene carboxaldehyde, dipentene. May produce an

allergic reaction.

H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS09: Environmental



Precautionary statements: P102: Keep out of reach of children.

SLUSH PUPPIE 3D CAR AIR FRESHENER - GREEN APPLE

Page: 2

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P501: Dispose of contents/container to Local authority regulations.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
252-104-2	34590-94-8	Substance with a Community workplace exposure limit.	-	50-75%
ALKANS C11-	· C13 -ISO			
920-901-0	64742-48-9	-	Asp. Tox. 1: H304; -: EUH066	10-25%
2-T-BUTYLCY	CLOHEXYL ACE	ETATE		
201-828-7	88-41-5	-	Aquatic Chronic 2: H411	10-25%
1,3,4,6,7,8-HE	XAHYDRO-4,6,6	6,7,8,8-HEXAMETHYLINDENO[5,6-	-C]PYRAN	
214-946-9	1222-05-5	-	Aquatic Chronic 1: H410; Aquatic Acute 1: H400	3-5%
GAMMA UND	ECALACTONE			
203-225-4	104-67-6	-	Aquatic Chronic 3: H412	1-3%
DIMETHYLCY	CLOHEXENE C	ARBOXALDEHYDE		
268-264-1	68039-49-6	-	Skin Irrit. 2: H315; Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1: H317	<1%
DIPENTENE				
205-341-0	138-86-3	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. If irritation persists seek medical

attention.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

SLUSH PUPPIE 3D CAR AIR FRESHENER - GREEN APPLE

Page: 3

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the nose and upper respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. KEEP OUT OF THE REACH OF CHILDREN.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

SLUSH PUPPIE 3D CAR AIR FRESHENER - GREEN APPLE

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	308mg/m3	-	-	-

DNEL/PNEC Values

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	19mg/l	-	-
PNEC	Marine water	1.9mg/l	-	-
PNEC	Fresh water sediments	70.2 mg/kg	-	-
PNEC	Marine sediments	7.02 mg/kg	-	-
PNEC	Soil	2.74mg/kg	-	-
DNEL	Inhalation	308 mg/m ³	Workers	Systemic
DNEL	Dermal	283 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	37.2 mg/m³	General Population	Systemic
DNEL	Dermal	121 mg/kg bw/day	General Population	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: No special requirements under normal conditions of use.

Hand protection: No special requirements under normal conditions of use.

Eye protection: No special requirements under normal conditions of use.

Skin protection: No special requirements under normal conditions of use.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid
Colour: Various

Odour: Characteristic odour

Solubility in water: Insoluble

9.2. Other information

Other information: This product is organic material impregnated with fragrance solution.

SLUSH PUPPIE 3D CAR AIR FRESHENER - GREEN APPLE

Page: 5

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

DERMAL	RBT	LD50	>20000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	7H LC0	>275	ppm

ALKANS C11- C13-ISO

DERMAL	RBT	LD50 (Read across)	>3160	mg/kg
ORAL	RAT	LD50 (Read across)	>15	g/kg
VAPOURS	RAT	4H LC50 (Read	4951	mg/m3
		across		

GAMMA UNDECALACTONE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

SLUSH PUPPIE 3D CAR AIR FRESHENER - GREEN APPLE

Page: 6

DIPENTENE

IVN	MUS	LD50	1010	μl/kg
ORL	MUS	LD50	5550	μl/kg
ORL	RAT	LD50	5300	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the nose and upper respiratory tract.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

BROWN SHRIMP (Crangon crangon)	96H LC50	>10000	mg/l
Daphnia magna	48H EC50	1919	mg/l
FATHEAD MINNOW (Pimephales promelas).	96H LC50	>10000	mg/l

ALKANS C11- C13 -ISO

Daphnia magna	48H EC50 (Read acros	>1000	mg/l
Pseudokirchnerella subcapitata	72H ErC50	>1000	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50 (Read acros	>1000	mg/l

GAMMA UNDECALACTONE

FISH	96H LC50 ECOSAR	5.5 mg/l	
------	-----------------	----------	--

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

SLUSH PUPPIE 3D CAR AIR FRESHENER - GREEN APPLE

Page: 7

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Disposal should be in accordance with Local Authority Regulations. **Disposal of packaging:** Disposal should be in accordance with Local Authority Regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.